


CLASS D CONCRETE COLLAR WITH SYNTHETIC MICRO- FIBER REINFORCEMENT (SEE NOTES 4 AND 5)

SAW CUT PAVEMENT FULL DEPTH WITH POWER HOLE CUTTER SEAL EDGE WITH NYSDOT 705-02 HIGHWAY JOINT SEALANT (SEE NOTE 6)



NOTES:

- 1.CASTING AND TOP OF CONCRETE ARE TO BE IN SAME HORIZONTAL PLANE AS SURROUNDING SURFACE, TRUE TO LINE AND GRADE, WITH COVER HAVING FULL CONTINUOUS AND UNIFORM BEARING CONTACT WITH FRAME.
- 2.TOP OF COVER IS TO BE LEVEL WITH TOP OF FRAME, STABLE AND IMMOVABLE WHEN IN PLACE AND WHEN UNDER INFLUENCE OF TRAFFIC OR ANY OTHER TYPE OF LOAD BEARING STRESS.
- 3.IF CASTING IS BELOW/ABOVE TOP OF SURROUNDING SURFACE GREATER THAN 1/4 INCH, IT IS DEFICIENT CONDITION THAT MUST BE MITIGATED PER DETAIL \$100-01 OF "RULES AND REGULATIONS FOR WORK IN THE RIGHT-OF-WAY".
- 4. HIGH EARLY STRENGTH CONCRETE IS TO BE USED FOR PLACEMENTS REQUIRED TO SATISFY OPEN TO TRAFFIC TIME REQUIREMENTS.
- 5.DURING AND AFTER DEPOSITION OF CONCRETE PERFORM MODERATE VIBRATION AND COMPACTION TO EXPEL LARGE BUBBLES AND EXCESS OF ENTRAPPED AIR FROM FRESHLY PLACED CONCRETE IN ACCORDANCE WITH NYSDOT SECTION 555-3.04 HANDLING AND PLACING CONCRETE.
- 6.SEALANT IS TO BE HOT-APPLIED ASPHALT PRODUCT SUCH AS CRAFCO ROADSAVER 201, CRAFCO ROADSAVER 231, OR APPROVED EQUIVALENT.

- 7. IF PAVEMENT IS CUT AND CORE LEFT
 IN PLACE FOR REMOVAL AT LATER TIME
 VOIDS ARE TO BE FILLED-IN WITH
 ASPHALT COLD PATCH OR MILLINGS.
 VOIDS ARE NOT TO BE LEFT OPEN
 OVERNIGHT.
- 8.ROUND OR SQUARE SHAPED COLLAR MAY BE USED AT NO ADDITIONAL COST TO CITY SEE DETAIL S909-3. SAME SHAPE MUST BE USED ON ENTIRE PROJECT EXCEPT IN CASES OF SPECIAL CIRCUMSTANCES WHERE DIFFERENT SHAPE MAY BE NECESSARY DUE TO PHYSICAL CONSTRAINTS AND AS APPROVED BY PROJECT MANAGER.

CITY OF ROCHESTER

ROUND CONCRETE COLLAR FOR VALVE BOX WITHIN ROADWAY

ISSUED 7-27-21 NON-STANDARD REVISED 12-10-21 DWG.NO.S909-4