

SECTION S902 - SALVAGE EXISTING WATER VALVE

S902-1 DESCRIPTION

Work consists of removing and salvaging existing water valve as required in Contract Documents and as directed by Project Manager.

Work is to be in conformance with requirements of Section S900 General Water Provisions.

S902-2 MATERIALS

None specified.

S902-3 CONSTRUCTION DETAILS

On existing water main pipe to be abandoned, existing water valve to be salvaged shall be removed, cleaned of extraneous debris and delivered to Bureau of Water, Materials and Equipment Section, 401 Dewey Avenue, Rochester, NY, tel. (585) 428-7514.

After removal of water valve, open ends of abandoned water main pipe are to be plugged with concrete, completely filling abandoned water main pipe to minimum depth of 12 inches.

S902-4 METHOD OF MEASUREMENT

Quantity to be measured for payment will be number of existing water valves salvaged.

S902-5 BASIS OF PAYMENT

Unit price includes cost of: removing, cleaning and delivering existing water valve; furnishing and installing concrete plugs; excavation; backfill; and furnishing all labor, material and equipment necessary to complete work.

Payment will be made under:

ITEM NO.	ITEM	PAY UNIT
S902.03XX	Salvage Existing X" Water Valve	Each

REVISED October 22, 2010