

DATA PACKAGE

**ENVIRONMENTAL ASSESSMENT AND REMEDIATION SERVICES
121 AND 123 REYNOLDS STREET
ROCHESTER, NEW YORK**

NYSDEC SPILL #1103833

Prepared For: City of Rochester
30 Church Street
Rochester, New York 14614

Prepared By: Day Environmental, Inc.
1563 Lyell Avenue
Rochester, New York 14606

Project No.: 4576S-11

Date: December 21, 2011

TABLE OF CONTENTS

1.0	BACKGROUND	1
2.0	ENVIRONMENTAL ASSESSMENT	2
2.1	Geophysical Survey	2
2.2	Subsurface Evaluation	2
3.0	CLOSURE OF USTS AND LIMITED SOIL REMOVAL	5

FIGURES

Figure 1	Project Locus Map
Figure 2	Site Plan with Test Pit and Tank Locations
Figure 3	Site Plan with Tank Locations and Soil Removal Areas

TABLES

Table 1	Sample Log
Table 2	Summary of Detected VOC and Naphthalene Results - Soil Samples from Test Pits
Table 3	Summary of Detected SVOC Results - Soil Samples from Test Pits
Table 4	Summary of Detected Metals Results - Soil Samples from Test Pits
Table 5	Summary of Detected VOC and Naphthalene Results – Post-Excavation Soil Samples

APPENDICES

Appendix A:	Geophysical Survey Report
Appendix B:	Test Pit Logs
Appendix C:	Analytical Laboratory Report for Tank Contents and Test Pit Soil Samples Collected on July 7, 2011
Appendix D:	Tank Closure Report and Soil Removal Package

1.0 BACKGROUND

The subject property is located at 121 and 123 Reynolds Street, City of Rochester, County of Monroe, New York (Site). This Site is currently owned by the City of Rochester (City). A Project Locus Map is included as Figure 1.

In June 2011, petroleum-type contaminated soil was encountered during excavation of the basement foundation of a new residential house on the adjoining 125 Reynolds Street parcel located south of the Site. Soil samples were collected and evaluated by others from the basement excavation and also from test pits located on the adjoining 125 Reynolds Street parcel (refer to Figure 2).

Historical information shows that the northern portion of the Site addressed as 121 Reynolds Street was formerly used as a gas station, an auto repair facility, and also involved a “spray paint” operation. In addition, historical records indicate underground storage tanks (USTs) and two pump dispensers were located at the Site. However, there are no records to document that the USTs were removed. Sanborn maps dated 1938 and 1950 showed four “GTs” or gas tanks at the Site. A 1939 Fire Department permit listed four 1,000-gallon tanks. A 1962 Fire Department permit listed two 1,000-gallon gasoline tanks, one 1,000-gallon kerosene tank and two pumps. As stated above there are no historical records showing the tanks were removed from the Site. A 1984 City Notice of Violation mentions an open pit in the garage should be kept closed when not in use; however, the purpose of this pit is not identified. [Note: Historical information shows that the southern portion of the Site addressed as 123 Reynolds Street was formerly used for residential purposes (residential dwelling)]. Based on the above historical information, and the documented contamination at the adjoining 125 Reynolds Street parcel, it was concluded that past operations on the northern portion of the Site, including use of petroleum storage tank systems, may have impacted subsurface conditions.

In June 2011, Day Environmental, Inc. (DAY) was retained by the City to perform further investigative work to evaluate the presence of USTs or contamination associated with historical use and operations at the Site. As a result of the investigative work, remedial actions were also performed. This environmental work is further described herein.

2.0 ENVIRONMENTAL ASSESSMENT

DAY performed an environmental assessment to evaluate the presence of possible abandoned USTs and associated subsurface petroleum impacts. This work is further presented in Sections 2.1 and 2.2.

2.1 Geophysical Survey

On June 30, 2011, DAY's subconsultant AMEC Geomatrix, Inc. (AMEC) performed a geophysical survey over the entire Site and also in the sidewalk areas north and east of the Site. AMEC used a Geonics EM61 unit in reconnaissance mode utilizing 3-foot line spacing over this area. A copy of the letter report prepared by AMEC summarizing the results of their geophysical survey is included as Appendix A. As shown, the geophysical survey identified 8 magnetic anomalies (designated in the report as Anomaly A through Anomaly H), and some of these anomalies were identified as possibly representing abandoned or closed in-place USTs. Figure 2 includes select historical features and an overlay of the geophysical survey results.

2.2 Subsurface Evaluation

On July 7, 2011, DAY's subcontractor TREC Environmental Services, Inc. (TREC) excavated eight test pits (designated as TP-1 through TP-8) on the Site using a John Deere PC200. On August 31, 2011, TREC excavated an additional test pit (designated as TP-9) in a tree lawn area of the right-of-way of Tremont Street using a Kubota KX121-3 mini-excavator. The locations of the test pits are shown on Figure 2. These locations were selected based on evaluating suspect features shown on historic maps (e.g., gas tanks, paint spray area, etc.), the findings of the EM-61 geophysical survey (e.g., areas of magnetic anomalies suggestive of buried tanks, etc.) and for general site coverage along select property boundaries (e.g., in the direction of adjoining residential properties to the south and west). The test pits were excavated to depths ranging between 4.5 and 9.5 feet below the ground surface (bgs). Equipment refusal indicative of the top of inferred bedrock, was encountered at test pits TP-1, TP-2, TP-4, TP-5, TP-7, TP-8, and TP-9. Test pit locations were tape measured in relation to existing site structures, signs, poles, and also in relation to the EM-61 geophysical survey grid that was established for the Site. The test pits were backfilled with excavated material that was tamped in-place using the excavator. A DAY representative documented the work performed, made visual observations, screened excavated material with a photoionization detector (PID), photographed the test pit work, collected soil samples for possible laboratory testing, and prepared test pit logs copies of which are included in Appendix B.

Two approximate 1,000-gallon capacity bare steel USTs (designated as Tanks #1 and #2) were encountered in Test Pit TP-1, and two approximate 1,000-gallon capacity bare steel USTs (designated as Tanks #3 and #4) were encountered in test pit TP-3. The locations of these USTs are shown on Figure 2 and Figure 3.

UST Contents Sampling and Analysis

Three samples of liquid contents (designated as discrete sample "UST 1 Contents", discrete sample "UST 2 Contents", and composite sample "UST 1/UST 2 Contents") were collected from Tanks #1 and #2 (refer to Table 1 for additional information about these samples). [Note: Tanks #3 and #4 contained very little residual contents, which could not be sampled.] DAY submitted the samples from Tank 1 and Tank 2 to Paradigm Environmental Services, Inc. (Paradigm), a New York State

Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP)-certified analytical laboratory. Paradigm tested the samples as follows:

- Discrete samples “UST 1 Contents” and “UST 2 Contents” for United States Environmental Protection Agency (USEPA) Target Compound List (TCL) and New York State Department of Environmental Conservation (NYSDEC) Spill Technology and Remediation Series (STARS) list volatile organic compounds (VOCs) using USEPA Method 8260.
- Composite sample “UST 1/UST 2 Contents” for Total Petroleum Hydrocarbons (TPH) using NYSDOH Method 310.13.

A copy of Paradigm’s report containing the test results for the tank contents samples is included in Appendix C. Below is a summary of the analytical laboratory results for the tank contents samples.

- Composite sample “UST 1/UST 2 Contents” contained medium weight TPH (best matching kerosene) at a concentration of 72,200 ug/L and heavy weight TPH (best matching lube oil) at a concentration of 10,400 ug/L.
- Discrete sample “UST 1 Contents” contained the VOCs m,p-Xylene (3.31 ug/L), 1,2,4-Trimethylbenzene (8.93 ug/L), and 1,3,5-Trimethylbenzene (8.70 ug/L).
- Discrete sample “UST 2 Contents” contained the VOCs m,p-Xylene (3.24 ug/L), sec-butylbenzene (6.49 ug/L), p-isopropyltoluene (19.5 ug/L), 1,2,4-Trimethylbenzene (103 ug/L), and 1,3,5-Trimethylbenzene (115 ug/L).

Test Pit Soil Sampling and Analysis

Table 1 lists the soil samples collected from test pits that were selected for laboratory analysis by Paradigm, and also the parameters each sample was tested for. In general, soil samples selected for analytical laboratory testing include:

- Samples with the greatest field evidence of impact (i.e., elevated PID readings above ambient air background conditions, staining, suspect material, odors, etc.);
- Samples of overlying or underlying soil with less or no field evidence of impact, or of different composition (e.g., fill vs. soil)
- Samples from immediately above bedrock, which coincided with the bottom of the test pit.

As shown on Table 1, the following soil samples were tested for the following parameters.

- Sample TP-1(7.5’) was tested for TCL/STARS VOCs using USEPA Method 8260;
- Sample TP-2(9’) was tested for TCL/STARS VOCs and tentatively identified compounds (TICs) using USEPA Method 8260, STARS semi-volatile organic compounds (SVOCs) using USEPA Method 8270, and total lead using USEPA Method 6010;
- Sample TP-4(5’) was tested for TCL/STARS VOCs using USEPA Method 8260, and total lead using USEPA Method 6010;
- Sample TP-4(9’) was tested for TCL/STARS VOCs using USEPA Method 8260;
- Sample TP-5(2.5’) was tested for STARS SVOCs using USEPA Method 8270, total Resource Conservation and Recovery Act (RCRA) metals using USEPA Methods 6010 and 7471, and polychlorinated biphenyls (PCBs) using USEPA Method 8082;

- Sample TP-5(9') was tested for TCL/STARS VOCs using USEPA Method 8260;
- Sample TP-6(3') was tested for STARS SVOCs using USEPA Method 8270, total RCRA metals using USEPA Methods 6010 and 7471, and PCBs using USEPA Method 8082;
- Sample TP-6(9') was tested for TCL/STARS VOCs using USEPA Method 8260;
- Sample TP-7(8.5') was tested for TCL/STARS VOCs using USEPA Method 8260, and STARS SVOCs using USEPA Method 8270;
- Sample TP-8(7') was tested for TCL/STARS VOCs using USEPA Method 8260;
- Sample TP-8(9') was tested for TCL/STARS VOCs and TICs using USEPA Method 8260; and
- Sample TP-9(9') was tested for STARS VOCs using USEPA Method 8260.

A copy of Paradigm's report containing the test results for the soil samples from test pits advanced on July 7, 2011 is included in Appendix C. The Paradigm report containing the results for the soil sample collected from Test Pit TP-9 on August 31, 2011 is attached to the Tank Closure Report and Soil removal Package included as Appendix D.

The test results for the soil samples collected from the test pits are summarized on tables 2, 3, and 4. Table 2 summarizes the VOC test results and compares them to Protection of Groundwater Soil Cleanup Objectives (SCOs), Residential Use SCOs, and Restricted Residential SCOs referenced in the 6 NYCRR Part 375 dated December 14, 2006 as well as Soil Cleanup Levels (SCLs) referenced in NYSDEC CP-51 dated October 21, 2010. Table 3 summarizes the SVOC test results and compares them to the Protection of Groundwater SCOs, Residential Use SCOs, and Restricted Residential as well as SCLs. Table 4 summarizes the metals test results and compares them to Protection of Groundwater SCOs, Residential Use SCOs, and Restricted Residential SCOs. PCBs were not detected at concentrations above detection limits in the two soil samples that were tested.

Below is a summary of the VOC, SVOC and metals analytical laboratory results.

- Samples TP-2(9'), TP-4(5') and TP-4(9') contained concentrations of one or more petroleum-related VOC that exceeded one or more of the Protection of Groundwater SCOs, Residential Use SCOs and Restricted Residential Use SCOs and/or SCLs. Sample TP-8(9') contained acetone at a concentration exceeding the Protection of Groundwater SCO. Samples TP-1(9') and TP-6(9') contained petroleum-related VOCs, but at concentrations below SCOs and SCLs. VOCs were not detected in samples TP-5(9'), TP-7(8.5'), TP-8(7') and TP-9(8.5').
- Sample TP-5(2.5') contained concentrations of SVOCs that exceeded one or more of the NYSDEC SCOs and SCLs. Sample TP-2(9') contained one SVOC, but at a concentration below SCOs and SCLs. SVOCs were not detected in samples TP-6(3') and TP-7(8.5').
- Samples TP-2(9') and TP-4(5') contained lead, but at concentrations below SCOs. Sample TP-6(3') contained RCRA metals including lead, but at concentrations below SCOs. Sample TP-5(2.5') contained RCRA metals including lead, and only the concentration of lead exceeded SCOs.

3.0 CLOSURE OF USTs AND LIMITED SOIL REMOVAL

As part of DAY's services to the City, DAY coordinated and documented the removal of the four USTs, the removal and off-site disposal of a limited volume of source area petroleum-impacted soil, the collection and analysis of post-excavation soil samples, and Site restoration activities.

Permanent Closure of USTs

On August 31, 2011, the four USTs shown on Figure 2 and Figure 3 (designated as Tanks #1, #2, #3, and #4) were permanently closed, under a permit with the City of Rochester. The USTs, their contents and wash waters were removed by TREC and disposed off-site in accordance with applicable regulations. The City registered the four USTs with the NYSDEC Petroleum Bulk Storage (PBS) Program (PBS Site No. 8-601544), and listed their status as "closed-removed". A DAY representative observed the tank closure work, including documentation and screening subsurface conditions with a PID. Pertinent information, including information about each UST, their disposition, and subsurface conditions encountered is documented in the Tank Closure Report and Soil Removal Package included as Appendix D.

Limited Source Area Soil Removal and Disposal

On September 2, 2011, a limited source area soil removal was performed to address petroleum-type contaminated soil located in proximity to the four former USTs. DAY retained TREC to complete the earthwork, and obtain the NYSDEC Part 364 trucking services and landfill. A DAY representative was on-site to document the work completed. Soil deemed not contaminated with petroleum based upon field observations was excavated by TREC and staged on-site for later re-use as backfill. TREC then removed petroleum-contaminated soil from the former Tank 1/Tank 2 location and the former Tank 3/Tank 4 location. Contaminated soil was excavated to the top of bedrock which was generally encountered at a depth of approximately 10 feet bgs. The Tank 1/Tank 2 excavation encompassed an area of approximately 250 square feet. The Tank 3/Tank 4 excavation encompassed an area of approximately 375 square feet. The limits of each excavation are depicted on Figure 3. Within the limited excavation areas, soil that exhibited olfactory or visual evidence of petroleum impact (e.g., odors, staining, free product, etc.) and/or yielded photoionization detector (PID) readings greater than 25 parts per million (ppm) was deemed petroleum-impacted soil, and was removed for off-site disposal. On September 2, 2011, a total of six truckloads of petroleum-contaminated soil (totaling 125.27 tons) was direct-loaded from the excavations (i.e., three trucks loads from each excavation), transported off-site by Silvarole Trucking, Inc. (NYSDEC Part 364 Permit #8A-190) and disposed at the Mill Seat Landfill, located in Riga, New York. Supporting documentation is attached in the Tank Closure Report and Soil Removal Package included as Appendix D.

Post-Excavation Soil Sampling and Analysis

On September 2, 2011 subsequent to excavation of petroleum-contaminated soil from the Tank 1/Tank 2 excavation and the Tank 3 /Tank 4 excavation, DAY collected post-excavation soil samples from the sidewalls of the two excavations. No bottom soil samples were collected since the soil was removed to the top of bedrock at each excavation. This sampling was conducted in general accordance with guidance in Section 5.5 of the NYSDEC DER-10. The following post-excavation soil samples were collected from the excavation walls, which were tested by Paradigm for STARS-list VOCs using USEPA Method 8260:

- Sample TK1/2 EXC-N(9') was collected from a depth of 9 feet on the north wall of the Tank 1 / Tank 2 excavation.

- Sample TK1/2 EXC-S(9') was collected from a depth of 9 feet on the south wall of the Tank 1 / Tank 2 excavation.
- Sample TK1/2 EXC-E(8.8') was collected from a depth of 8.8 feet on the east wall of the Tank 1 / Tank 2 excavation.
- Sample TK1/2 EXC-W(9') was collected from a depth of 9 feet on the west wall of the Tank 1 / Tank 2 excavation.
- Sample TK3/4 EXC-N(8.5') was collected from a depth of 8.5 feet on the north wall of the Tank 3 / Tank 4 excavation.
- Sample TK3/4 EXC-S(10') was collected from a depth of 10 feet on the south wall of the Tank 3 / Tank 4 excavation.
- Sample TK3/4 EXC-E(10') was collected from a depth of 10 feet on the east wall of the Tank 3 / Tank 4 excavation.
- Sample TK3/4 EXC-W(9.5') was collected from a depth of 9.5 feet on the west wall of the Tank 3 / Tank 4 excavation.

The locations of post-excavation soil samples are depicted on Figure 3.


A copy of Paradigm's report containing the test results for the eight post-excavation soil samples listed above is attached in the Tank Closure Report and Soil Removal Package included as Appendix D. Table 5 summarizes the VOC test results for the post-excavation soil samples, and compares them to Protection of Groundwater SCOs, Residential Use SCOs, and Restricted Residential SCOs referenced in the 6 NYCRR Part 375 dated December 14, 2006 as well as SCLs referenced in NYSDEC CP-51 dated October 21, 2010. Below is a summary of the VOC analytical laboratory results.

- Each of the post-excavation soil samples from the Tank 1 / Tank 2 excavation contained two or more VOCs at concentrations exceeding their corresponding Protection of Groundwater SCO and SCLs. In addition, Sample TK1/2 EXC-W(9') contained five VOCs at concentrations exceeding the Residential Use SCOs and Restricted Residential Use SCOs.
- Sample TK3/4 EXC-E(10') from the Tank 3 / Tank 4 excavation contained three VOCs at concentrations exceeding their corresponding Protection of Groundwater SCOs and SCLs. The other three samples from the Tank 3 / Tank 4 excavation contained one or more VOC, but at concentrations below the SCOs and SCLs.

Site Restoration

On September 2, 2011, TREC backfilled the two excavations with the previously staged on-site soil, and also 133 tons of clean imported Bank Run soil transported to Site by M.J. Dreher Trucking, Inc. The Bank Run soil originated from The Dolomite Group's Ogden, NY Plant, which is a New York State Department of Transportation (NYSDOT)-permitted facility. Supporting documentation for the imported backfill is attached in the Tank Closure Report and Soil Removal Package included as Appendix D. The Site was subsequently graded, and then hydroseed was applied on September 23, 2011.

FIGURES



NOTE:

Topo imagery provided by ESRI Online Services and USGS 7.5 Minute Quad of Rochester West, NY, dated 1995.

Site Coordinates are in Decimal Degrees:

77° 37' 34.71" W 43° 8' 51.39" N

<p>Date</p> <p>11-11-2011</p> <p>Drawn By</p> <p>RJM</p> <p>Scale</p> <p>AS NOTED</p>	<p>day</p> <p>DAY ENVIRONMENTAL, INC.</p> <p>Environmental Consultants</p> <p>Rochester, New York 14614-1008</p> <p>New York, New York 10016-0710</p>	<p>Project Title</p> <p>121 AND 123 REYNOLDS STREET ROCHESTER, NEW YORK</p> <p>ENVIRONMENTAL SERVICES</p> <p>Drawing Title</p> <p>Project Locus Map</p>	<p>Project No.</p> <p>4576S-11</p> <p>FIGURE 1</p>
---	---	---	--

Legend



June 2011 soil sample and test pit locations by others on the adjoining 125 Reynolds Street parcel, with peak PID reading measured



Approximate former building footprint based on 1938 and 1950 Sanborn maps



Approximate parcel boundary



Tank encountered on July 7, 2011



Approximate test pit location advanced July 7, 2011 with peak PID reading measured



Approximate test pit location advanced August 31, 2011 with peak PID reading measured



Tremont St

Reynolds St

Surface or buried metals

Background

Geophysical anomaly discussed in report

Grid North

Scale 1:150

Figure 1

Geophysical Survey Results
Color Contours of EM61 Data
(mVolts)

121 and 123 Reynolds St
Rochester, NY
Day Environmental, Inc.
AMEC Geomatrix (716) 553-0624

NOTE:

EM-61 Survey generated by AMEC Geomatrix, Inc. This survey was overlaid to site plan based on existing site feature.

Building footprints were derived from Sanborn maps, dated 1938, 1950 and 1959.

Parcel, and Edge of Pavement GIS data provided by Monroe County, dated 2008.

Aerial imagery provided by the New York State GIS Clearinghouse, dated 2009.


0 15 30 60
Feet

Date	12-21-2011
Drawn By	CPS
Scale	AS NOTED

day
DAY ENVIRONMENTAL, INC.
Environmental Consultants
Rochester, New York 14614-1008
New York, New York 10016-0710

Project Title	121 AND 123 REYNOLDS STREET ROCHESTER, NEW YORK
	ENVIRONMENTAL SERVICES
Drawing Title	Site Plan with Test Pit and Tank Locations


Project No.	4576S-11
	FIGURE 2



KEY PLAN

Legend

- September 1, 2011 confirmatory sample location with peak PID reading (parts per million)
- Approximate former building footprint based on 1938 and 1950 Sanborn maps
- Approximate parcel boundary
- Underground Storage Tank removed on August 31, 2011
- Approximate extent of impacted soil removal on September 1, 2011



NOTE:

The locations of underground storage tanks, confirmatory samples and soil removal excavation extents were located relative to existing Site features using a measuring tape. The locations depicted should be considered approximate.

Building footprints were derived from Sanborn maps, dated 1938, 1950 and 1959.

Parcel, and Edge of Pavement GIS data provided by Monroe County, dated 2008.

Aerial imagery provided by the New York State GIS Clearinghouse, dated 2009.

0 5 10 20 Feet

Date
12-21-2011

Drawn By
CAH

Scale
AS NOTED

day
DAY ENVIRONMENTAL, INC.
Environmental Consultants
Rochester, New York 14614-1008
New York, New York 10016-0710

Project Title
121 AND 123 REYNOLDS STREET
ROCHESTER, NEW YORK

ENVIRONMENTAL SERVICES

Drawing Title
Site Plan with Tank Locations and Soil Removal Areas

Project No.
4576S-11
FIGURE 3

TABLES

Table 1
121 and 123 Reynolds Street
Rochester, New York
NYSDEC Spill #1103833
Sample Log

Sample ID	Collection Date	Composite or Grab	PID Reading (PPM)	Matrix	Analytical Test Parameters
UST 1 Contents	7/7/2011	Grab	NA	Soil	TCL/STARS VOC
UST 2 Contents	7/7/2011	Grab	NA	Soil	TCL/STARS VOC
UST 1/UST 2 Contents	7/7/2011	Composite	NA	Soil	TPH
TP-1 (7.5')	7/7/2011	Grab	831	Soil	TCL/STARS VOC
TP-2 (9')	7/7/2011	Grab	1680	Soil	TCL/STARS VOC, STARS SVOC, Lead
TP-4 (5')	7/7/2011	Grab	1603	Soil	TCL/STARS VOC, Lead
TP-4 (9')	7/7/2011	Grab	1051	Soil	TCL/STARS VOC
TP-5 (2.5')	7/7/2011	Grab	0	Soil	STARS SVOC, RCRA Metal, PCB
TP-5 (9')	7/7/2011	Grab	0	Soil	TCL/STARS VOC
TP-6 (3')	7/7/2011	Grab	0	Soil	STARS SVOC, RCRA Metal, PCB
TP-6 (9')	7/7/2011	Grab	0	Soil	TCL/STARS VOC
TP-7 (8.5')	7/7/2011	Grab	0	Soil	TCL/STARS VOC, STARS SVOC
TP-8 (7')	7/7/2011	Grab	0	Soil	TCL/STARS VOC
TP-8 (9')	7/7/2011	Grab	68.4	Soil	TCL/STARS VOC
TP-9 (8.5')	8/31/2011	Grab	0	Soil	STARS VOC
TK1/2 Exc-N (9')	9/2/2011	Grab	1778	Soil	STARS VOC
TK1/2 Exc-E (8.8')	9/2/2011	Grab	1658	Soil	STARS VOC
TK1/2 Exc-S (9')	9/2/2011	Grab	989	Soil	STARS VOC
TK1/2 Exc-W (9')	9/2/2011	Grab	1580	Soil	STARS VOC
TK3/4 Exc-W (9.5')	9/2/2011	Grab	0	Soil	STARS VOC
TK3/4 Exc-S (10')	9/2/2011	Grab	1202	Soil	STARS VOC
TK3/4 Exc-N (8.5')	9/2/2011	Grab	1314	Soil	STARS VOC
TK3/4 Exc-E (10')	9/2/2011	Grab	1542	Soil	STARS VOC

TCL/STARS VOC = USEPA Target Compound List/NYSDEC Spill Technology and Remediation Series list Volatile Organic Compounds via USEPA Method 8260

STARS VOC = NYSDEC Spill Technology and Remediation Series list Volatile Organic Compounds via USEPA Method 8260

STARS SVOC = NYSDEC Spill Technology and Remediation Series list Semi-Volatile Organic Compounds via USEPA Method 8270

Lead = Total Lead via USEPA Method 6010

RCRA Metal = Resource Conservation and Recovery Act total metals via USEPA Methods 6010 and 7471

PCB = Polychlorinated Biphenyl via USEPA Method 8082

TPH = Total Petroleum Hydrocarbons via NYSDOH Method 310.13

USEPA = United States Environmental Protection Agency

NYSDEC = New York State Department of Environmental Conservation

NYSDOH = New York State Department of Health

NA = Not Applicable

Table 2
121 and 123 Reynolds Street, Rochester, New York
NYSDEC Spill #1103833

Summary of Detected VOC and Naphthalene Results in mg/Kg or Parts per Million (ppm)

Soil Samples from Test Pits

Detected Compound	A Protection of Groundwater SCO ⁽¹⁾	B Residential SCO ⁽²⁾	C Restricted Residential SCO ⁽³⁾	D SCL ⁽⁴⁾	TP-1 (7.5') 07/07/11	TP-2 (9.0') 07/07/11	TP-4 (5.0') 07/07/11	TP-4 (9.0') 07/07/11	TP-5 (9.0') 07/07/11	TP-6 (9.0') 07/07/11	TP-7 (8.5') 07/07/11	TP-8 (7.0') 07/07/11	TP-8 (9.0') 07/07/11	TP-9 (8.5') 08/31/11
Acetone	0.05	100	100	NA	U	U	U	U	U	U	U	U	0.0907 A	--
n-Butylbenzene	NA	NA	NA	12	U	U	U	U	U	U	U	U	0.0235	U
Ethylbenzene	1	30	41	1	U	7.38 AD	4.54 AD	3.09 AD	U	U	U	U	U	U
Isopropylbenzene	NA	NA	NA	2.3	U	2.35 D	2.47 D	2.32 D	U	U	U	U	U	U
n-Propylbenzene	3.9	100	100	3.9	0.27	5.75 AD	10.80 AD	8.70 AD	U	U	U	U	U	U
p-Isopropyltoluene	NA	NA	NA	10	0.51	2.70	2.38	3.37	U	U	U	U	U	U
sec-Butylbenzene	11	100	100	11	0.22	U	2.23	2.05	U	U	U	U	0.0112	U
1,2,4-Trimethylbenzene	3.6	47	52	3.6	2.91	45.50 AD	98.30 ABCD	55.60 ABCD	U	0.0229	U	U	0.0647	U
1,3,5- Trimethylbenzene	8.4	47	52	8.4	1.18	22.50 AD	34.60 AD	10.20 AD	U	U	U	U	0.0251	U
Xylene (mixed)	1.6	100	100	0.26	0.16	36.20 AD	33.10 AD	3.93 AD	U	U	U	U	U	U
TOTAL VOCs	NA	NA	NA	NA	5.26	122.38	188.42	89.26	--	0.0229	--	--	0.22	U
TOTAL TICs	NA	NA	NA	NA	--	607.70	--	--	--	--	--	--	2.27	--
TOTAL VOCs AND TICs	NA	NA	NA	NA	--	730.08	--	--	--	--	--	--	2.49	--
Naphthalene	12	100	100	12	U	4.98	8.72	U	U	U	U	U	0.0508	U

(1) = Soil Cleanup Objective (SCO) for Protection of Groundwater as referenced in 6 NYCRR Part 375 dated 12/14/06

(2) = SCO for Residential Use as referenced in 6 NYCRR Part 375 dated 12/14/06.

(3) = SCO for Restricted Residential Use as referenced in 6 NYCRR Part 375 dated 12/14/06

(4) = Soil Cleanup Level (SCL) as referenced in NYSDEC CP-51 / Soil Cleanup Guidance Table 1 dated 10/21/10

A = Exceeds Protection of Groundwater SCO

B = Exceeds Residential Use SCO

C = Exceeds Restricted Residential Use SCO

D = Exceeds SCL

VOC = Volatile Organic Compound U = Not detected at concentration above reported analytical laboratory detection limit

TIC = Tentatively identified compound NA = Not available -- = Not Reported

Table 3
121 and 123 Reynolds Street, Rochester, New York
NYSDEC Spill #1103833

Summary of Detected SVOC Results in mg/Kg or Parts Per Million (ppm)

Soil Samples from Test Pits

Detected Compound	A Protection of Groundwater SCO ⁽¹⁾	B Residential SCO ⁽²⁾	C Restricted Residential SCO ⁽³⁾	D SCL ⁽⁴⁾	TP-2 (9.0') 07/07/11	TP-5 (2.5') 07/07/11	TP-6 (3.0') 07/07/11	TP-7 (8.5') 07/07/11
Benzo(a)anthracene	1	1	1	1	U	2.94 ABCD	U	U
Benzo(a)pyrene	22	1	1	1	U	3.13 BCD	U	U
Benzo(b)fluoranthene	1.7	1	1	1	U	2.93 ABCD	U	U
Benzo(g,h,i)perylene	1,000	100	100	100	U	2.30	U	U
Benzo(k)fluoranthene	1.7	1	3.9	0.8	U	2.97 ABCD	U	U
Chrysene	1	1	3.9	1	U	2.96 ABD	U	U
Fluoranthene	1,000	100	100	100	U	5.63	U	U
Indeno(1,2,3-cd)pyrene	8.2	0.5	0.5	0.5	U	2.28 BCD	U	U
Naphthalene	12	100	100	12	3.36	U	U	U
Phenanthrene	1,000	100	100	100	U	3.02	U	U
Pyrene	1,000	100	100	100	U	5.34	U	U
TOTAL SVOCS	NA	NA	NA	NA	3.36	33.50	U	U

NA = Not available U = Not detected at concentration above reported analytical laboratory detection limit

(1) = Soil Cleanup Objective (SCO) for Protection of Groundwater as referenced in 6 NYCRR Part 375 dated 12/14/06.

(2) = SCO for Residential Use as referenced in 6 NYCRR Part 375 dated 12/14/06

(3) = SCO for Restricted Residential Use as referenced in 6 NYCRR Part 375 dated 12/14/06

(4) = Soil Cleanup Level (SCL) as referenced in NYSDEC CP-51 / Soil Cleanup Guidance Table 1 dated 10/21/10

A = Exceeds Protection of Groundwater SCO

B = Exceeds Residential Use SCO

C = Exceeds Restricted Residential Use SCO

D = Exceeds SCL

SVOC = Semi-Volatile Organic Compound

Table 4
121 and 123 Reynolds Street, Rochester, New York
NYSDEC Spill #1103833

Summary of Metals Results in mg/Kg or Parts Per Million (ppm)

Soil Samples from Test Pits

Detected Analyte	A Protection of Groundwater SCO ⁽¹⁾	B Residential SCO ⁽²⁾	C Restricted Residential SCO ⁽³⁾	TP-2 (9.0') 07/07/11	TP-4 (5.0') 07/07/11	TP-5 (2.5') 07/07/11	TP-6 (3.0') 07/07/11
Arsenic	16	16	16	NT	NT	3.08	3.44
Barium	820	350	400	NT	NT	191	67.2
Cadmium	7.5	2.5	4.3	NT	NT	1.14	U
Chromium, trivalent	NA	36	180	NT	NT	14.3	12
Lead	450	400	400	12.3	11.9	565 ABC	121
Mercury	0.73	0.81	0.81	NT	NT	0.143	0.304
Selenium	4	36	180	NT	NT	U	U
Silver	8.3	36	180	NT	NT	U	U

NA = Not available NT = Not Tested U = Not detected at concentration above reported analytical laboratory detection limit

Note for Sample TP-5 (2.5') arsenic, barium, cadmium and lead results: duplicate results outside QC limits may indicate a non-homogeneous matrix; and matrix spike recoveries outside QC limits indicates matrix bias.

(1) = Soil Cleanup Objective (SCO) for Protection of Groundwater as referenced in 6 NYCRR Part 375 dated 12/14/06.

(2) = SCO for Residential Use as referenced in 6 NYCRR Part 375 dated 12/14/06

(3) = SCO for Restricted Residential Use as referenced in 6 NYCRR Part 375 dated 12/14/06

A = Exceeds Protection of Groundwater SCO

B = Exceeds Residential Use SCO

C = Exceeds Restricted Residential Use SCO

Table 5

121 and 123 Reynolds Street, Rochester, New York
NYSDEC Spill # 1103833

Summary of Detected VOC and Naphthalene Results in mg/Kg or Parts Per Million (ppm)

Post-Excavation Soil Samples

DETECTED VOCs	A Protection of Groundwater SCO ⁽¹⁾	B Residential SCO ⁽²⁾	C Restricted Residential SCO ⁽³⁾	D SCL ⁽⁴⁾	SAMPLE AND LOCATION							
					TK1/2 EXC-N (9')	TK1/2 EXC-S (9')	TK1/2 EXC-E (8.8')	TK1/2 EXC-W (9')	TK3/4 EXC-N (8.5')	TK3/4 EXC-S (10')	TK3/4 EXC-E (10')	TK3/4 EXC-W (9.5')
n-Butylbenzene	NA	NA	NA	12	U	U	U	U	0.888	U	U	U
sec-Butylbenzene	11	100	100	11	0.423	U	0.487	U	0.171	U	U	U
Ethylbenzene	1	30	41	1	0.955	1.22 AD	1.35 AD	143 ABCD	U	U	3.8 AD	U
n-Propylbenzene	3.9	100	100	3.9	1.51	0.841	2.23	116 ABCD	0.336	U	3.38	U
Isopropylbenzene	NA	NA	NA	2.3	0.512	0.385	0.592	28.9 D	0.0467	U	U	U
p-Isopropyltoluene	NA	NA	NA	10	0.924	0.429	0.774	U	0.129	0.0184	U	U
1,2,4-Trimethylbenzene	3.6	47	52	3.6	12.4 AD	7.19 AD	14.4 AD	616 ABCD	1.74	0.0284	22.5 AD	U
1,3,5-Trimethylbenzene	8.4	47	52	8.4	6.35	3.47	5.63	216 ABCD	0.151	U	6.69	U
Xylenes	1.6	100	100	0.26	4.47 AD	6.29 AD	5.26 AD	681 ABCD	U	U	18.8 AD	0.0107
TOTAL VOCs	NA	NA	NA	NA	27.55	19.83	30.72	1800.90	3.46	0.0468	55.17	0.0107
Naphthalene	12	100	100	12	2.25	0.76	2.52	U	U	U	U	U

(1) = Soil Cleanup Objective (SCO) for Protection of Groundwater as referenced in 6 NYCRR Part 375 dated 12/14/06

(2) = SCO for Residential Use as referenced in 6 NYCRR Part 375 dated 12/14/06.

(3) = SCO for Restricted residential Use as referenced in 6 NYCRR Part 375 dated 12/14/06

(4) = Soil Cleanup Level (SCL) as referenced in NYSDEC CP-51 / Soil Cleanup Guidance Table 1 dated 10/21/10

A = Exceeds Protection of Groundwater SCO

B = Exceeds Residential Use SCO

C = Exceeds Restricted Residential Use SCO

D = Exceeds SCL

VOC = Volatile Organic Compound

U = Not detected at concentration above reported analytical laboratory detection limit

PPM = Parts per million

NA = Not available

APPENDIX A

Geophysical Survey Report

90 B John Muir Drive
Amherst, New York 14228
(716) 565-0624 • Fax (716) 565-0625



July 1, 2011

Jeffrey A. Danzinger
Day Environmental, Inc.
40 Commercial Street
Rochester, New York 14614-1008

Transmitted via email to: Jeff Danzinger [JDanzinger@daymail.net]

Dear Mr. Danzinger:

Subject: Geophysical Survey Results, 121 and 123 Reynolds St, Rochester, NY

1.0 INTRODUCTION

This letter report presents the results of the geophysical investigation performed for Day Environmental, Inc. (DAY) in support of their environmental investigation of a property located at 121 and 123 Reynolds St in Rochester, NY (the Site). The survey area consisted of a grassy field encompassing two parcels. The residence was recently removed from the southern parcel and the northern parcel formerly housed a retail automotive fuel facility.

The geophysical investigation was designed to geophysically characterize the subsurface and focus a follow-up intrusive investigation if warranted. The information provided herein is intended to assist DAY with their assessment of potential environmental concerns at the Site. The objective for the geophysical survey was to identify potential USTs and/or historical site features that may be of environmental significance. AMEC Geomatrix used time domain geophysical tools (EM61) to characterize the property. Data acquisition was performed on June 30, 2011.

2.0 METHODOLOGY

A reference grid was installed to facilitate data acquisition along survey lines spaced 3 feet apart. The grid was marked with orange and white spray paint with select coordinates labeled to aid in the reoccupation of stations if necessary. Grid coordinate 300N,300E was established in the road intersection of Reynolds Street and Tremont Street. Specifically, the point corresponds to the intersection of the streets two curb lines (had they extended straight into the

AMEC Geomatrix, Inc.

intersection). "Grid North" was taken as the direction perpendicular to the curb line of Tremont Street.

The site was geophysically surveyed using the Geonics EM61. The EM61 unit is a high sensitivity, high resolution time domain electromagnetic (TDEM) metal detector that can detect both ferrous and nonferrous metallic objects. It has an approximate investigation depth of 10 feet. The processing console is contained in a backpack worn by the operator which is interfaced to a digital data logger. The transmitter and two receiver coils are located on a two-wheeled cart that is pulled by the operator.

The device's transmitter coil generates a pulsed primary EM field at a rate of 150 pulses per second, inducing eddy currents into the subsurface. The decay rates of these eddy currents are measured by two, 3.28 foot by 1.64 foot (1 meter by $\frac{1}{2}$ meter) rectangular receiver coils. By taking the measurements at a relatively long time frame after termination of the primary pulse, the response is practically independent of the survey area's terrain conductivity. Specifically, the decay rates of the eddy currents are much longer for metals than for normal soils allowing the discrimination of the two.



EM61 in use (photo not from this site)

Data are collected from the EM61's two receiver coils. One of the receiver coils is located coincident to the transmitter coil. The other receiver coil is located 1.31 feet (0.4 meters) above the transmitter coil. Data from the top receiver coil are stored on Channel 1 of a digital data logger. Data from the bottom receiver coil are stored on Channel 2 of the data logger. Channel 1 and Channel 2 data are simultaneously recorded at each station location. The instrument responses are recorded in units of milliVolts (mV). Data were recorded digitally by a data logger along lines spaced 3 ft apart at a rate of approximately 2 measurements per foot.

3.0 RESULTS

The EM61 data for the site are shown in Figure 1. The color bar to the right of the map indicates the colors associated with the respective measured values. Areas suspected to be

free of buried metals are shown as color shades of blue. All areas exhibiting a response greater than background (0 to 30 mVolts) likely contain buried metals. These areas are depicted in shades of dark blue through yellow on the figure.

The survey data shown on Figure 1 extends to the curb lines of both Tremont and Reynolds Streets (it does not appear that the sidewalk contains reinforcement steel).

Numerous buried metal anomalies were observed in the data set. These are labeled Anomaly A through H on Figure 1. Any of these anomalies may be associated with a UST or other buried metal object of environmental significance.

Anomalies A, B and C are buried metal anomalies located near the Sanborn mapped location of historic UST's. These anomalies overlap and it is impossible to see exactly where one ends and another begins. Portions of these anomalies likely lie within the footprint of the former building and may be related to remnants of that structure. Anomaly A is adjacent to steel barrier pipes (denoted "P" on the figure). The response south of these pipes is slightly larger than the response north of the pipes suggesting that there may be additional metal (besides the pipes themselves) under the pipes – perhaps towards the south. Data were collected in both orientations in this area to better capture and characterize the response. (Also note the comparatively smaller response from the three barrier pipes bounding the site along Reynolds Street.)

Anomaly D is a small buried metal anomaly located under the grass island north of the Tremont Street sidewalk.

Anomalies E and F are elongate buried metal anomalies located along the western property line.

Anomaly G is a buried metal anomaly (again located near a barrier pipe) just southwest of the intersection of the two sidewalks. The shape of Anomaly G suggests the possibility that it is associated with some linear anomalies.

Anomaly H is an area with three anomalous responses on the far south end of the survey and is more likely to represent miscellaneous buried metal debris than a UST (though this can not be ruled out).

Any of the additional anomalous responses not identified may be significant from an environmental perspective however they are interpreted to represent miscellaneous buried metals or to be associated with surface metals.


Jeffrey A. Danzinger
Day Environmental, Inc.
July 1, 2011
Page 4


4.0 LIMITATIONS

The geophysical methods used during this survey are established, indirect techniques for non-destructive subsurface reconnaissance exploration. As these instruments utilize indirect methods, they are subject to inherent limitations and ambiguities. Metallic surface features (electrical wires, scrap metal, etc.) preclude reliable non-invasive data/results beneath, and in the immediate vicinity of, the surface features. Targets such as buried drums, buried tanks, conduits, etc. are detectable only if they produce recognizable anomalies or patterns against the background geophysical data collected. As with any remote sensing technique, the anomalies identified during a geophysical survey should be further investigated by other techniques such as historical aerial photography, test pit excavation and/or test boring, if warranted.

Please do not hesitate to contact us if you have any questions or require additional information.

Sincerely yours,
AMEC GEOMATRIX, INC.


John Luttinger
Senior Geophysicist



APPENDIX B

Test Pit Logs



DAY ENVIRONMENTAL, INC.

ENVIRONMENTAL CONSULTANTS

AN AFFILIATE OF DAY ENGINEERING, P.C.

Project #: 4576S-11
Project Address: 121 and 123 Reynolds Street
Rochester, New York
DAY Representative: C. Hampton
Contractor: TREC Environmental Inc.
Equipment: John Deere PC 200 Excavator

Date: 7/7/2011
Test Pit Depth: 9.5'
Depth to Water: Not Encountered

TEST PIT TP-1

Page 1 of 1

Depth (ft)	PID Reading (ppm)	Samples Collected	PID Headspace (ppm)	Sample Description	Notes
1-	0.0			TOPSOIL	
				Brown, Silty Clay with Gravel and shot Rock, damp (FILL)	1- 1" metal pipe encountered in east sidewall at ~1.5' PID in pipe 26.1
				Brown/Black, Clayey Sand with Brick, Shot Rock, Glass, Metal fragments, moist (FILL)	
2-	0.0		0.0	Red/Brown, Clayey SAND, some Gravel, some Cobbles, moist	2- Copper pipe encountered at ~2.5'
3-					3- Black iron sewer pipe w/cleanout in south end of pit at ~ 3.5'
4-	7.3	X			4-
5-					5-
6-	0.0				6-
7-	341	X	831		7- Black staining/gasoline type odors at ~7.0' Staining/odors continue to 9.5' bgs
8-					8-
9-				...angular Rock fragments	9-
10-				Refusal on apparent Bedrock at 9.5'	10-
11-					11-
12-					12-
13-					13-
14-					14-
15-					15-
16-					16-

Notes: 1) Water levels were made at the times and under conditions stated. Fluctuations of groundwater levels may occur due to seasonal factors and other conditions.
2) Stratification lines represent approximate boundaries. Transitions may be gradual.
3) PID readings are referenced to a benzene standard measured in the headspace above the sample using a MiniRae 2000 equipped with a 10.6 eV lamp.
4) NA = Not Available or Not Applicable

TEST PIT TP-1

1563 LYELL AVENUE
ROCHESTER, NEW YORK 14606
(585) 454-0210
FAX (585) 454-0825

www.dayenvironmental.com

274 MADISON AVENUE, ROOM 1104
NEW YORK, NEW YORK 10016-0710
(212) 986-8645
FAX (212) 986-8657



DAY ENVIRONMENTAL, INC.

ENVIRONMENTAL CONSULTANTS

AN AFFILIATE OF DAY ENGINEERING, P.C.

Project #: 4576S-11
Project Address: 121 and 123 Reynolds Street
Rochester, New York
DAY Representative: C. Hampton
Contractor: TREC Environmental Inc.
Equipment: John Deere PC 200 Excavator

Date: 7/7/2011
Test Pit Depth: 9.0'
Depth to Water: Not Encountered

TEST PIT TP-2

Page 1 of 1

Depth (ft)	PID Reading (ppm)	Samples Collected	PID Headspace (ppm)	Sample Description	Notes
1-	0.0			TOPSOIL	Electrical conduit (1" dia.) in upper 0.5'
2-	0.0			Gray/Brown, Silty Sand, little Clay, Stone fragments, Brick, damp (FILL)	2" dia. Metal pipe, trending NE ~1.5' bgs
3-	0.0			Red/Brown, Clayey SAND, some Gravel, some Cobbles, moist	Top of USTs 1 and 2 encountered at ~ 2.0' bgs
4-	0.0			(Note: This material was observed in the eastern sidewall of the Test Pit and below the bedding sands of the adjacent UST)	
5-	0.0				
6-	0.0				Base of USTs 1 and 2 encountered at ~ 6.0' bgs
7-	808	X	897		Black staining and petroleum odor 7.0' - 9.0' bgs
8-	1510	X	1680		
9-				Refusal on apparent Bedrock at 9.0'	
10-					
11-					
12-					
13-					
14-					
15-					
16-					

Notes: 1) Water levels were made at the times and under conditions stated. Fluctuations of groundwater levels may occur due to seasonal factors and other conditions.
2) Stratification lines represent approximate boundaries. Transitions may be gradual.
3) PID readings are referenced to a benzene standard measured in the headspace above the sample using a MiniRae 2000 equipped with a 10.6 eV lamp.
4) NA = Not Available or Not Applicable

TEST PIT TP-2

1563 LYELL AVENUE
ROCHESTER, NEW YORK 14606
(585) 454-0210
FAX (585) 454-0825

www.dayenvironmental.com

274 MADISON AVENUE, ROOM 1104
NEW YORK, NEW YORK 10016-0710
(212) 986-8645
FAX (212) 986-8657



DAY ENVIRONMENTAL, INC.

ENVIRONMENTAL CONSULTANTS

AN AFFILIATE OF DAY ENGINEERING, P.C.

Project #: 4576S-11
Project Address: 121 and 123 Reynolds Street
Rochester, New York
DAY Representative: C. Hampton
Contractor: TREC Environmental Inc.
Equipment: John Deere PC 200 Excavator

Date: 7/7/2011
Test Pit Depth: 4.5'
Depth to Water: Not Encountered

TEST PIT TP-3

Page 1 of 1

Depth (ft)	PID Reading (ppm)	Samples Collected	PID Headspace (ppm)	Sample Description	Notes
1-	0.0	X		TOPSOIL	1- 2- 3- Top of Tank 3 encountered ~ 3.0' bgs Top of Tank 4 encountered ~ 3.0' bgs 4- Possible foundation wall observed in south sidewall of TP at depths 3.0' bgs to 4.5' bgs
				Brown, Silty Sand, Brick, Concrete fragments, damp (FILL)	
				Gray/Black, Sand, trace Silt and Clay, Brick, Glass, Ash, Charcoal, damp (FILL)	
2-	0.0			Tan/Brown, SAND, some Clay, little Gravel, some Cobbles, moist	
3-	0.0			(Note: this material was observed in the western end of the test pit, to the west of the USTs)	
4-	0.0				
5-				Bottom of Hole at 4.5'	
6-					
7-					
8-					
9-					
10-					
11-					
12-					
13-					
14-					
15-					
16-					

Notes: 1) Water levels were made at the times and under conditions stated. Fluctuations of groundwater levels may occur due to seasonal factors and other conditions.
2) Stratification lines represent approximate boundaries. Transitions may be gradual.
3) PID readings are referenced to a benzene standard measured in the headspace above the sample using a MiniRae 2000 equipped with a 10.6 eV lamp.
4) NA = Not Available or Not Applicable

TEST PIT TP-3

1563 LYELL AVENUE
ROCHESTER, NEW YORK 14606
(585) 454-0210
FAX (585) 454-0825

www.dayenvironmental.com

274 MADISON AVENUE, ROOM 1104
NEW YORK, NEW YORK 10016-0710
(212) 986-8645
FAX (212) 986-8657



DAY ENVIRONMENTAL, INC.

ENVIRONMENTAL CONSULTANTS

AN AFFILIATE OF DAY ENGINEERING, P.C.

Project #: 4576S-11
 Project Address: 121 and 123 Reynolds Street
 Rochester, New York
 DAY Representative: C. Hampton
 Contractor: TREC Environmental Inc.
 Equipment: John Deere PC 200 Excavator

Date: 7/7/2011
 Test Pit Depth: 9.0'
 Depth to Water: Not Encountered

TEST PIT TP-4

Page 1 of 1

Depth (ft)	PID Reading (ppm)	Samples Collected	PID Headspace (ppm)	Sample Description	Notes
1-	0.0			TOPSOIL	
2-	0.0			Tan, Silty Sand, Brick, Concrete fragments, damp (FILL)	1- Metal pipe (~3" dia. X 4' long) encountered in north side of pit ~ 1.5' bgs
3-	0.0				3- Metal pipe encountered in south wall of test pit (~ 3" dia x over 8' long)
4-				Tan/Brown, Clayey SAND, little Gravel, some Cobbles, moist	
5-	1225	X	1603		5- Black staining encountered starting ~ 5.0' bgs to 9.0' bgs, petroleum odor 5.0' - 9.0' bgs
6-					
7-					
8-					
9-	1020	X	1051		
10-				Refusal on apparent Bedrock at 9.0'	
11-					
12-					
13-					
14-					
15-					
16-					

Notes: 1) Water levels were made at the times and under conditions stated. Fluctuations of groundwater levels may occur due to seasonal factors and other conditions.
 2) Stratification lines represent approximate boundaries. Transitions may be gradual.
 3) PID readings are referenced to a benzene standard measured in the headspace above the sample using a MiniRae 2000 equipped with a 10.6 eV lamp.
 4) NA = Not Available or Not Applicable

TEST PIT TP-4

1563 LYELL AVENUE
 ROCHESTER, NEW YORK 14606
 (585) 454-0210
 FAX (585) 454-0825

www.dayenvironmental.com

274 MADISON AVENUE, ROOM 1104
 NEW YORK, NEW YORK 10016-0710
 (212) 986-8645
 FAX (212) 986-8657



DAY ENVIRONMENTAL, INC.

ENVIRONMENTAL CONSULTANTS

AN AFFILIATE OF DAY ENGINEERING, P.C.

Project #: 4576S-11
 Project Address: 121 and 123 Reynolds Street
 Rochester, New York
 DAY Representative: C. Hampton
 Contractor: TREC Environmental Inc.
 Equipment: John Deere PC 200 Excavator

Date: 7/7/2011
 Test Pit Depth: 9.0'
 Depth to Water: Not Encountered

TEST PIT TP-5

Page 1 of 1

Depth (ft)	PID Reading (ppm)	Samples Collected	PID Headspace (ppm)	Sample Description	Notes
1-	0.0			TOPSOIL	1- Pipe (~ 2" dia) encountered in nw end of TP-5 PID = 0.0
2-		X		Gray Black, Sand, little Silt, little Clay, Brick, Concrete, Slag, Glass, Metal, damp (FILL)	2- Metal pipe and 2" square metal bar inside wall at 2.0' bgs
3-	0.0				3-
4-					4-
5-	0.0				5-
6-					6-
7-	0.0			Tan/Brown, Clayey SAND, some Gravel, some Cobbles, moist	7-
8-					8-
9-	0.0	X	0.0		9-
10-				Refusal on apparent Bedrock at 9.0'	10-
11-					11-
12-					12-
13-					13-
14-					14-
15-					15-
16-					16-

Notes: 1) Water levels were made at the times and under conditions stated. Fluctuations of groundwater levels may occur due to seasonal factors and other conditions.
 2) Stratification lines represent approximate boundaries. Transitions may be gradual.
 3) PID readings are referenced to a benzene standard measured in the headspace above the sample using a MiniRae 2000 equipped with a 10.6 eV lamp.
 4) NA = Not Available or Not Applicable

TEST PIT TP-5

1563 LYELL AVENUE
 ROCHESTER, NEW YORK 14606
 (585) 454-0210
 FAX (585) 454-0825

www.dayenvironmental.com

274 MADISON AVENUE, ROOM 1104
 NEW YORK, NEW YORK 10016-0710
 (212) 986-8645
 FAX (212) 986-8657



DAY ENVIRONMENTAL, INC.

ENVIRONMENTAL CONSULTANTS

AN AFFILIATE OF DAY ENGINEERING, P.C.

Project #: 4576S-11
Project Address: 121 and 123 Reynolds Street
Rochester, New York
DAY Representative: C. Hampton
Contractor: TREC Environmental Inc.
Equipment: John Deere PC 200 Excavator

Date: 7/7/2011
Test Pit Depth: 9.5'
Depth to Water: Not Encountered

TEST PIT TP-6

Page 1 of 1

Depth (ft)	PID Reading (ppm)	Samples Collected	PID Headspace (ppm)	Sample Description	Notes	
1-	0.0	X		TOPSOIL	Sheet metal debris and short section of metal pipe observed 1.0' - 3.5' bgs	
				Gray Ash with Sand, slag, Brick, damp (FILL)		
				Brown/Tan, Sand, trace Silt, trace Clay, Metal debris, damp (FILL)		
2-	0.0	X			2-	
				Gray Ash (FILL)	Possible remnants of foundation wall ~3.0' - 4.0'	
3-	0.0					3-
				Dark Brown, Sand, little Silt, Slag, Shot Rock, moist (FILL)		
4-						4-
5-	0.0			Tan/Brown, SAND, little Clay, little Gravel, some Cobbles, moist		5-
6-					6-	
7-	0.0				7-	
8-					8-	
9-	0.0	X		Red CLAY, moist	9-	
10-				Bottom of Hole at 9.5'	10-	
11-					11-	
12-					12-	
13-					13-	
14-					14-	
15-					15-	
16-					16-	

Notes: 1) Water levels were made at the times and under conditions stated. Fluctuations of groundwater levels may occur due to seasonal factors and other conditions.
2) Stratification lines represent approximate boundaries. Transitions may be gradual.
3) PID readings are referenced to a benzene standard measured in the headspace above the sample using a MiniRae 2000 equipped with a 10.6 eV lamp.
4) NA = Not Available or Not Applicable

TEST PIT TP-6

1563 LYELL AVENUE
ROCHESTER, NEW YORK 14606
(585) 454-0210
FAX (585) 454-0825

www.dayenvironmental.com

274 MADISON AVENUE, ROOM 1104
NEW YORK, NEW YORK 10016-0710
(212) 986-8645
FAX (212) 986-8657



DAY ENVIRONMENTAL, INC.

ENVIRONMENTAL CONSULTANTS

AN AFFILIATE OF DAY ENGINEERING, P.C.

Project #: 4576S-11
Project Address: 121 and 123 Reynolds Street
Rochester, New York
DAY Representative: C. Hampton
Contractor: TREC Environmental Inc.
Equipment: John Deere PC 200 Excavator

Date: 7/7/2011
Test Pit Depth: 9.5'
Depth to Water: Not Encountered

TEST PIT TP-7

Page 1 of 1

Depth (ft)	PID Reading (ppm)	Samples Collected	PID Headspace (ppm)	Sample Description	Notes
1-	0.0	X		TOPSOIL Tan, Sand, little Silt, trace Clay, little Gravel, Metal debris, Shot Rock, damp (FILL)	Garbage can lid ~ 3.0' bgs
2-	0.0				
3-	0.0				
4-	0.0				
5-	0.0	X		Tan, Clayey SAND, little Gravel, some Cobbles, moist	
6-	0.0				
7-	0.0				
8-	0.0				
9-	0.0				
10-				Refusal on apparent Bedrock at 9.5'	
11-					
12-					
13-					
14-					
15-					
16-					

Notes: 1) Water levels were made at the times and under conditions stated. Fluctuations of groundwater levels may occur due to seasonal factors and other conditions.
2) Stratification lines represent approximate boundaries. Transitions may be gradual.
3) PID readings are referenced to a benzene standard measured in the headspace above the sample using a MiniRae 2000 equipped with a 10.6 eV lamp.
4) NA = Not Available or Not Applicable

TEST PIT TP-7

1563 LYELL AVENUE
ROCHESTER, NEW YORK 14606
(585) 454-0210
FAX (585) 454-0825

www.dayenvironmental.com

274 MADISON AVENUE, ROOM 1104
NEW YORK, NEW YORK 10016-0710
(212) 986-8645
FAX (212) 986-8657



DAY ENVIRONMENTAL, INC.

ENVIRONMENTAL CONSULTANTS

AN AFFILIATE OF DAY ENGINEERING, P.C.

Project #: 4576S-11
Project Address: 121 and 123 Reynolds Street
Rochester, New York
DAY Representative: C. Hampton
Contractor: TREC Environmental Inc.
Equipment: John Deere PC 200 Excavator

Date: 7/7/2011
Test Pit Depth: 9.0'
Depth to Water: Not Encountered

TEST PIT TP-8

Page 1 of 1

Depth (ft)	PID Reading (ppm)	Samples Collected	PID Headspace (ppm)	Sample Description	Notes
1-	0.0			TOPSOIL	
				Brown, Silty Sand, little Gravel, damp (FILL)	
2-	0.0				
3-	0.0				
4-					
5-	0.0	X		Tan, Clayey SAND, little Gravel, some Cobbles, moist	
6-					
7-	0.0	X			
8-					Chemical or petroleum type odor @ 8.0'-9.0' bgs No staining observed
9-	2.3	X	68.4		
10-				Refusal on apparent Bedrock at 9.0'	
11-					
12-					
13-					
14-					
15-					
16-					

Notes: 1) Water levels were made at the times and under conditions stated. Fluctuations of groundwater levels may occur due to seasonal factors and other conditions.
2) Stratification lines represent approximate boundaries. Transitions may be gradual.
3) PID readings are referenced to a benzene standard measured in the headspace above the sample using a MiniRae 2000 equipped with a 10.6 eV lamp.
4) NA = Not Available or Not Applicable

TEST PIT TP-8

1563 LYELL AVENUE
ROCHESTER, NEW YORK 14606
(585) 454-0210
FAX (585) 454-0825

www.dayenvironmental.com

274 MADISON AVENUE, ROOM 1104
NEW YORK, NEW YORK 10016-0710
(212) 986-8645
FAX (212) 986-8657



DAY ENVIRONMENTAL, INC.

ENVIRONMENTAL CONSULTANTS

AN AFFILIATE OF DAY ENGINEERING, P.C.

Project #: 4576S-11
Project Address: 121 - 123 Reynolds Street
Rochester, NY
DAY Representative: C. Hampton
Contractor: TREC Environmental
Equipment: Kubota KX121-3 Mini-Excavator

Date: 8/31/2011
Test Pit Depth: 8.5'
Depth to Water: Not Encountered

TEST PIT TP-9

Page 1 of 1

Depth (ft)	PID Reading (ppm)	Samples Collected	PID Headspace (ppm)	Sample Description	Notes
1-	0.0			TOPSOIL Brown, Silty Sand, Gravel, Cobbles, Metal, antennae (FILL)	1 - Pit dimensions: 16' x 2' w x 8.5' D centered ~ 9' end of Bus Stop Sign
2-					2-
3-	0.0			Tan, SAND, little Silt, little Gravel	3-
4-					4 - no large metal pieces encountered in pit
5-	0.0			...little Cobbles	5-
6-					6-
7-	0.0			...some Red CLAY	7-
8-					8-
9-	0.0			...apparent bedrock pieces	9-
10-				Refusal on apparent Bedrock @ 8.5'	10-
11-					11-
12-					12-
13-					13-
14-					14-
15-					15-
16-					16-

Notes: 1) Water levels were made at the times and under conditions stated. Fluctuations of groundwater levels may occur due to seasonal factors and other conditions.
2) Stratification lines represent approximate boundaries. Transitions may be gradual.
3) PID readings are referenced to a benzene standard measured in the headspace above the sample using a MiniRae 2000 equipped with a 10.6 eV lamp.
4) NA = Not Available or Not Applicable

TEST PIT TP-9

1563 LVELL AVENUE
ROCHESTER, NEW YORK 14606
(585) 454-0210
FAX (585) 454-0825

www.dayenvironmental.com

274 MADISON AVENUE, ROOM 1104
NEW YORK, NEW YORK 10016-0710
(212) 986-8645
FAX (212) 986-8657

APPENDIX C

Analytical Laboratory Report for Tank Contents Samples and Test Pit Soil Samples Collected on July 7, 2011



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Analytical Report Cover Page

Day Environmental, Inc.

For Lab Project # 11-2830

Issued July 15, 2011

Re-Issued August 2, 2011

This report contains a total of 37 pages

This project has been re-issued. Please see enclosed narrative.

The reported results relate only to the samples as they have been received by the laboratory.

Any noncompliant QC parameters having impact on the data are flagged or documented on the final report.

All soil/sludge samples have been reported on a dry weight basis, unless qualified "reported as received". Other solids are reported as received.

Each page of this document is part of a multipage report. This document may not be reproduced except in its entirety, without the prior consent of Paradigm Environmental Services, Inc.

The Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. Sample condition requirements are defined under the 2003 NELAC Standard, sections 5.5.8.3.1 and 5.5.8.3.2.

NYSDOH ELAP does not certify for all parameters. Paradigm Environmental Services or the indicated subcontracted laboratory does hold certification for all analytes where certification is offered by ELAP unless otherwise specified.

Data qualifiers are used, when necessary, to provide additional information about the data. This information may be communicated as a flag or as text at the bottom of the report. Please refer to the following list of frequently used data flags and their meaning:

"<" = analyzed for but not detected at or above the reporting limit.

"E" = Result has been estimated, calibration limit exceeded.

"Z" = See case narrative.

"D" = Duplicate results outside QC limits. May indicate a non-homogenous matrix.

"M" = Matrix spike recoveries outside QC limits. Matrix bias indicated.

"B" = Method blank contained trace levels of analyte. Refer to included method blank report.



PARADIGM
ENVIRONMENTAL SERVICES, INC.

WWW.PARADIGMENV.COM

179 Lake Avenue, Rochester, NY 14608

PHONE: 585-647-2530

TOLL FREE: 800-724-1997

FAX: 585-647-3311

August 1, 2011

Mr. Jeff Danzinger
Day Environmental, Inc.
40 Commercial Street
Rochester, New York 14614
Re: 121 & 123 Reynolds Street

Dear Mr. Danzinger:

During a recent routine audit of completed projects, a reporting error was discovered pertaining to the PHC data associated with this project. Our reporting templates are pre-populated with data which is regularly constant, such as method references, matrix designation, etc. Report templates for PHC data contains information for the concentration of the reference standard, which is rarely changed, and is therefore saved into the template. At the time this sample was analyzed, the concentration of the lube standard against which the samples were quantified was changed from 50,000ppm to 5000ppm. This detail was overlooked at the time the reports were generated and unfortunately the Lube Oil concentrations reported with this project were a factor of ten times higher than they should have been.

Please accept our sincere apologies for any inconvenience this error may have caused. We have reviewed all other data associated with this project and have verified there are no further errors. Please do not hesitate to call with any questions or if further clarification is needed. Thank you for choosing our analytical services. We hope to do business with you again soon.

Sincerely,

A handwritten signature in cursive script that reads "Rebecca Roztocil".

Rebecca Roztocil
QA Officer



PARADIGM
ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 Office: (585) 647-2530 Fax: (585) 647-3311

LAB REPORT FOR METALS ANALYSIS IN SOLID

Client: Day Environmental, Inc.

Lab Project No.: 11-2830

Client Job Site: 121+123 Reynolds St. Rochester, NY

Sample Type: Soil
Method: SW846 3050/6010

Client Job No.: 4576S-11

Date Sampled: 07/07/2011
Date Received: 07/08/2011
Date Analyzed: 07/14/2011

Lab Sample No.	Field ID No.	Field Location	Lead Results (mg/kg)
9343	N/A	TP-2 (9.0')	12.3
9344	N/A	TP-4 (5.0')	11.9

ELAP ID No.:10958

Comments:

Approved By: 

Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. File ID:112830.xls



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

LAB REPORT FOR RCRA METALS ANALYSIS IN SOLIDS

Client: Day Environmental, Inc.

Lab Project No.: 11-2830

Client Job Site: 121+123 Reynolds St.
Rochester, NY

Sample Type: Soil
Method: SW 846: 3050/6010,7471

Client Job No.: 4576S-11

Date(s) Sampled: 07/07/2011
Date Received: 07/08/2011
Date Analyzed: 07/12-14/2011
Date Reissued: 07/20/2011

Lab Sample No.	Field ID No.	Field Location	Ag Results (mg/kg)	As Results (mg/kg)	Ba Results (mg/kg)	Cd Results (mg/kg)	Cr Results (mg/kg)	Pb Results (mg/kg)	Se Results (mg/kg)	Hg Result (mg/kg)
9346	N/A	TP-5 (2.5')	< 1.04	3.08 DM	191 DM	1.14 DM	14.3	565 DM	< 1.04	0.143
9348	N/A	TP-6 (3.0')	< 1.08	3.44	67.2	< 0.538	12.0	121	< 1.08	0.304

ELAP ID No.: 10958

Comments:

Approved By: 
Bruce Hoogesteger, Technical Director



PCB Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121 & 123 Reynolds St.
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-5 (2.5')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9346

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/11/2011

Date Reissued: 07/20/2011

PCB Identification	Results in mg / Kg
Aroclor 1016	< 0.433
Aroclor 1221	< 0.433
Aroclor 1232	< 0.433
Aroclor 1242	< 0.433
Aroclor 1248	< 0.433
Aroclor 1254	< 0.433
Aroclor 1260	< 0.433

ELAP Number 10958

Analytical Method: EPA 8082A

Prep Method: EPA 3550C

Comments: mg / Kg = milligram per Kilogram

Signature: _____

Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830P1



PCB Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121 & 123 Reynolds St.
Rochester, NY
Client Job Number: 4576S-11
Field Location: TP-6 (3.0')
Field ID Number: N/A
Sample Type: Soil

Lab Project Number: 11-2830
Lab Sample Number: 9348
Date Sampled: 07/07/2011
Date Received: 07/08/2011
Date Analyzed: 07/11/2011
Date Reissued: 07/20/2011

PCB Identification	Results in mg / Kg
Aroclor 1016	< 0.437
Aroclor 1221	< 0.437
Aroclor 1232	< 0.437
Aroclor 1242	< 0.437
Aroclor 1248	< 0.437
Aroclor 1254	< 0.437
Aroclor 1260	< 0.437


ELAP Number 10958

Analytical Method: EPA 8082A

Prep Method: EPA 3550C

Comments: mg / Kg = milligram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.



PHC Analysis Report for Non-potable Water

Client: Day Environmental

Client Job Site: 121 & 123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: UST 1 / UST 2 Contents

Field ID Number: N/A

Sample Type: Water

Lab Project Number: 11-2830

Lab Sample Number: 9355

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/14/2011

Date Reissued: 07/29/2011

PHC Classification	Results in ug / L
Medium Weight PHC as: Kerosene	72,200
Heavy Weight PHC as: Lube Oil	10,400

ELAP Number 10958

Analytical Method: NYSDOH

Prep Method: EPA

Comments: PHC = Petroleum Hydrocarbon
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830R1.XLS



Semi-Volatile STARS Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121+123 Reynolds St.
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-2 (9.0')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9343

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/13/2011

Base / Neutrals	Results in ug / Kg
Acenaphthene	< 321
Acenaphthylene	< 321
Anthracene	< 321
Benzo (a) anthracene	< 321
Benzo (a) pyrene	< 321
Benzo (b) fluoranthene	< 321
Benzo (g,h,i) perylene	< 321
Benzo (k) fluoranthene	< 321
Chrysene	< 321
Dibenz (a,h) anthracene	< 321
Fluoranthene	< 321
Fluorene	< 321
Indeno (1,2,3-cd) pyrene	< 321
Naphthalene	3,360
Phenanthrene	< 321
Pyrene	< 321

ELAP Number 10958


Analytical Method: EPA 8270C

Data File: S57622.D

Prep Method: EPA 3550C

Comments: ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830S1.XLS

**Semi-Volatile STARS Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc.**Client Job Site:** 121+123 Reynolds St.
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-5 (2.5')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9346**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/13/2011

Base / Neutrals	Results in ug / Kg
Acenaphthene	< 1,620
Acenaphthylene	< 1,620
Anthracene	< 1,620
Benzo (a) anthracene	2,940
Benzo (a) pyrene	3,130
Benzo (b) fluoranthene	2,930
Benzo (g,h,i) perylene	2,300
Benzo (k) fluoranthene	2,970
Chrysene	2,960
Dibenz (a,h) anthracene	< 1,620
Fluoranthene	5,630
Fluorene	< 1,620
Indeno (1,2,3-cd) pyrene	2,280
Naphthalene	< 1,620
Phenanthrene	3,020
Pyrene	5,340

ELAP Number 10958

Analytical Method: EPA 8270C

Data File: S57623.D

Prep Method: EPA 3550C

Comments: ug / Kg = microgram per Kilogram

Internal Standard outliers indicate probable matrix interference

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830S2.XLS



Semi-Volatile STARS Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121+123 Reynolds St.
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-6 (3.0')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9348

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/13/2011

Base / Neutrals	Results in ug / Kg
Acenaphthene	< 311
Acenaphthylene	< 311
Anthracene	< 311
Benzo (a) anthracene	< 311
Benzo (a) pyrene	< 311
Benzo (b) fluoranthene	< 311
Benzo (g,h,i) perylene	< 311
Benzo (k) fluoranthene	< 311
Chrysene	< 311
Dibenz (a,h) anthracene	< 311
Fluoranthene	< 311
Fluorene	< 311
Indeno (1,2,3-cd) pyrene	< 311
Naphthalene	< 311
Phenanthrene	< 311
Pyrene	< 311

ELAP Number 10958


Analytical Method: EPA 8270C

Data File: S57624.D

Prep Method: EPA 3550C

Comments: ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830S3.XLS



Semi-Volatile STARS Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121+123 Reynolds St.
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-7 (8.5')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9350

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/13/2011

Base / Neutrals	Results in ug / Kg
Acenaphthene	< 328
Acenaphthylene	< 328
Anthracene	< 328
Benzo (a) anthracene	< 328
Benzo (a) pyrene	< 328
Benzo (b) fluoranthene	< 328
Benzo (g,h,i) perylene	< 328
Benzo (k) fluoranthene	< 328
Chrysene	< 328
Dibenz (a,h) anthracene	< 328
Fluoranthene	< 328
Fluorene	< 328
Indeno (1,2,3-cd) pyrene	< 328
Naphthalene	< 328
Phenanthrene	< 328
Pyrene	< 328

ELAP Number 10958

Analytical Method: EPA 8270C

Data File: S57625.D

Prep Method: EPA 3550C

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830S4.XLS

**Volatile Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-1 (7.5')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9342**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/14/2011

Halocarbons	Results in ug / Kg
Bromodichloromethane	< 142
Bromomethane	< 142
Bromoform	< 356
Carbon Tetrachloride	< 142
Chloroethane	< 142
Chloromethane	< 142
2-Chloroethyl vinyl Ether	< 711
Chloroform	< 142
Dibromochloromethane	< 142
1,1-Dichloroethane	< 142
1,2-Dichloroethane	< 142
1,1-Dichloroethene	< 142
cis-1,2-Dichloroethene	< 142
trans-1,2-Dichloroethene	< 142
1,2-Dichloropropane	< 142
cis-1,3-Dichloropropene	< 142
trans-1,3-Dichloropropene	< 142
Methylene chloride	< 356
1,1,2,2-Tetrachloroethane	< 142
Tetrachloroethene	< 142
1,1,1-Trichloroethane	< 142
1,1,2-Trichloroethane	< 142
Trichloroethene	< 142
Trichlorofluoromethane	< 142
Vinyl chloride	< 142

Aromatics	Results in ug / Kg
Benzene	< 142
Chlorobenzene	< 142
Ethylbenzene	< 142
Toluene	< 142
m,p-Xylene	164
o-Xylene	< 142
Styrene	< 356
1,2-Dichlorobenzene	< 142
1,3-Dichlorobenzene	< 142
1,4-Dichlorobenzene	< 142

Ketones	Results in ug / Kg
Acetone	< 711
2-Butanone	< 711
2-Hexanone	< 356
4-Methyl-2-pentanone	< 356

Miscellaneous	Results in ug / Kg
Carbon disulfide	< 142
Vinyl acetate	< 356

ELAP Number 10958

Method: EPA 8260B

Data File: V89303.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V1.XLS



Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)

Client: Day Environmental, Inc

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-1 (7.5')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9342

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/14/2011

Compound	Results in ug / Kg	Compound	Results in ug / Kg
n-Butylbenzene	< 142	1,2,4-Trimethylbenzene	2,910
sec-Butylbenzene	220	1,3,5-Trimethylbenzene	1,180
tert-Butylbenzene	< 142		
n-Propylbenzene	271	Miscellaneous	
Isopropylbenzene	< 142	Methyl tert-butyl Ether	< 142
p-Isopropyltoluene	514		
Naphthalene	< 356		


ELAP Number 10958

Method: EPA 8260B

Data File: V89303.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V1.XLS

**Volatile Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-2 (9.0')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9343**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/15/2011

Halocarbons	Results in ug / Kg
Bromodichloromethane	< 1,820
Bromomethane	< 1,820
Bromoform	< 4,550
Carbon Tetrachloride	< 1,820
Chloroethane	< 1,820
Chloromethane	< 1,820
2-Chloroethyl vinyl Ether	< 9,090
Chloroform	< 1,820
Dibromochloromethane	< 1,820
1,1-Dichloroethane	< 1,820
1,2-Dichloroethane	< 1,820
1,1-Dichloroethene	< 1,820
cis-1,2-Dichloroethene	< 1,820
trans-1,2-Dichloroethene	< 1,820
1,2-Dichloropropane	< 1,820
cis-1,3-Dichloropropene	< 1,820
trans-1,3-Dichloropropene	< 1,820
Methylene chloride	< 4,550
1,1,2,2-Tetrachloroethane	< 1,820
Tetrachloroethene	< 1,820
1,1,1-Trichloroethane	< 1,820
1,1,2-Trichloroethane	< 1,820
Trichloroethene	< 1,820
Trichlorofluoromethane	< 1,820
Vinyl chloride	< 1,820

Aromatics	Results in ug / Kg
Benzene	< 1,820
Chlorobenzene	< 1,820
Ethylbenzene	7,380
Toluene	< 1,820
m,p-Xylene	36,200
o-Xylene	< 1,820
Styrene	< 4,550
1,2-Dichlorobenzene	< 1,820
1,3-Dichlorobenzene	< 1,820
1,4-Dichlorobenzene	< 1,820

Ketones	Results in ug / Kg
Acetone	< 9,090
2-Butanone	< 9,090
2-Hexanone	< 4,550
4-Methyl-2-pentanone	< 4,550

Miscellaneous	Results in ug / Kg
Carbon disulfide	< 1,820
Vinyl acetate	< 4,550

ELAP Number 10958

Method: EPA 8260B

Data File: V89333.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V2.XLS



Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)

Client: Day Environmental, Inc

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-2 (9.0')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9343

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/15/2011

Compound	Results in ug / Kg	Compound	Results in ug / Kg
n-Butylbenzene	< 1,820	1,2,4-Trimethylbenzene	45,500
sec-Butylbenzene	< 1,820	1,3,5-Trimethylbenzene	22,500
tert-Butylbenzene	< 1,820		
n-Propylbenzene	5,750	Miscellaneous	
Isopropylbenzene	2,350	Methyl tert-butyl Ether	< 1,820
p-Isopropyltoluene	2,700		
Naphthalene	4,980		

ELAP Number 10958

Method: EPA 8260B

Data File: V89333.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V2.XLS

**Volatile Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-2 (9.0')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9343**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/15/2011

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / Kg	Percent Fit
Unknown Alkane	N/A	6.31	24,700	N/A
Unknown Alkane	N/A	6.73	68,100	N/A
Unknown Alkane	N/A	6.87	19,000	N/A
Unknown Alkane	N/A	7.21	19,600	N/A
Unknown Alkane	N/A	7.33	17,000	N/A
Unknown Alkane	N/A	7.46	22,300	N/A
Unknown Alkane	N/A	7.55	23,600	N/A
Unknown Alkane	N/A	7.78	67,900	N/A
Unknown Alkane	N/A	7.91	42,400	N/A
Unknown Alkane	N/A	8.61	19,500	N/A
Unknown Alkane	N/A	8.85	36,700	N/A
Unknown Alkane	N/A	8.97	25,000	N/A
Unknown Alkane	N/A	9.17	32,100	N/A
Unknown Alkane	N/A	9.39	22,900	N/A
Unknown Aromatic	N/A	9.67	42,200	N/A
Unknown Aromatic	N/A	9.99	21,100	N/A
Unknown Aromatic	N/A	10.65	18,800	N/A
Unknown Aromatic	N/A	10.98	29,100	N/A
Unknown Alkane	N/A	11.12	32,000	N/A
Unknown Aromatic	N/A	12.37	23,700	N/A

ELAP Number 10958

Method: EPA 8260B

Data File: V89333.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V2.XLS

**Volatile Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-4 (5.0')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9344**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/15/2011

Halocarbons	Results in ug / Kg
Bromodichloromethane	< 1,730
Bromomethane	< 1,730
Bromoform	< 4,330
Carbon Tetrachloride	< 1,730
Chloroethane	< 1,730
Chloromethane	< 1,730
2-Chloroethyl vinyl Ether	< 8,650
Chloroform	< 1,730
Dibromochloromethane	< 1,730
1,1-Dichloroethane	< 1,730
1,2-Dichloroethane	< 1,730
1,1-Dichloroethene	< 1,730
cis-1,2-Dichloroethene	< 1,730
trans-1,2-Dichloroethene	< 1,730
1,2-Dichloropropane	< 1,730
cis-1,3-Dichloropropene	< 1,730
trans-1,3-Dichloropropene	< 1,730
Methylene chloride	< 4,330
1,1,2,2-Tetrachloroethane	< 1,730
Tetrachloroethene	< 1,730
1,1,1-Trichloroethane	< 1,730
1,1,2-Trichloroethane	< 1,730
Trichloroethene	< 1,730
Trichlorofluoromethane	< 1,730
Vinyl chloride	< 1,730

Aromatics	Results in ug / Kg
Benzene	< 1,730
Chlorobenzene	< 1,730
Ethylbenzene	4,540
Toluene	< 1,730
m,p-Xylene	33,100
o-Xylene	< 1,730
Styrene	< 4,330
1,2-Dichlorobenzene	< 1,730
1,3-Dichlorobenzene	< 1,730
1,4-Dichlorobenzene	< 1,730

Ketones	Results in ug / Kg
Acetone	< 8,650
2-Butanone	< 8,650
2-Hexanone	< 4,330
4-Methyl-2-pentanone	< 4,330

Miscellaneous	Results in ug / Kg
Carbon disulfide	< 1,730
Vinyl acetate	< 4,330

ELAP Number 10958

Method: EPA 8260B

Data File: V89334.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V3.XLS

**Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-4 (5.0')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9344**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/15/2011

Compound	Results in ug / Kg	Compound	Results in ug / Kg
n-Butylbenzene	< 1,730	1,2,4-Trimethylbenzene	98,300
sec-Butylbenzene	2,230	1,3,5-Trimethylbenzene	34,600
tert-Butylbenzene	< 1,730		
n-Propylbenzene	10,800	Miscellaneous	
Isopropylbenzene	2,470	Methyl tert-butyl Ether	< 1,730
p-Isopropyltoluene	2,380		
Naphthalene	8,720		

ELAP Number 10958

Method: EPA 8260B

Data File: V89334.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V3.XLS

**Volatile Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-4 (9.0')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9345**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/15/2011

Halocarbons	Results in ug / Kg
Bromodichloromethane	< 1,690
Bromomethane	< 1,690
Bromoform	< 4,220
Carbon Tetrachloride	< 1,690
Chloroethane	< 1,690
Chloromethane	< 1,690
2-Chloroethyl vinyl Ether	< 8,430
Chloroform	< 1,690
Dibromochloromethane	< 1,690
1,1-Dichloroethane	< 1,690
1,2-Dichloroethane	< 1,690
1,1-Dichloroethene	< 1,690
cis-1,2-Dichloroethene	< 1,690
trans-1,2-Dichloroethene	< 1,690
1,2-Dichloropropane	< 1,690
cis-1,3-Dichloropropene	< 1,690
trans-1,3-Dichloropropene	< 1,690
Methylene chloride	< 4,220
1,1,2,2-Tetrachloroethane	< 1,690
Tetrachloroethene	< 1,690
1,1,1-Trichloroethane	< 1,690
1,1,2-Trichloroethane	< 1,690
Trichloroethene	< 1,690
Trichlorofluoromethane	< 1,690
Vinyl chloride	< 1,690

Aromatics	Results in ug / Kg
Benzene	< 1,690
Chlorobenzene	< 1,690
Ethylbenzene	3,090
Toluene	< 1,690
m,p-Xylene	3,930
o-Xylene	< 1,690
Styrene	< 4,220
1,2-Dichlorobenzene	< 1,690
1,3-Dichlorobenzene	< 1,690
1,4-Dichlorobenzene	< 1,690

Ketones	Results in ug / Kg
Acetone	< 8,430
2-Butanone	< 8,430
2-Hexanone	< 4,220
4-Methyl-2-pentanone	< 4,220

Miscellaneous	Results in ug / Kg
Carbon disulfide	< 1,690
Vinyl acetate	< 4,220

ELAP Number 10958

Method: EPA 8260B

Data File: V89335.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V4.XLS

**Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-4 (9.0')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9345**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/15/2011

Compound	Results in ug / Kg	Compound	Results in ug / Kg
n-Butylbenzene	< 1,690	1,2,4-Trimethylbenzene	55,600
sec-Butylbenzene	2,050	1,3,5-Trimethylbenzene	10,200
tert-Butylbenzene	< 1,690		
n-Propylbenzene	8,700	Miscellaneous	
Isopropylbenzene	2,320	Methyl tert-butyl Ether	< 1,690
p-Isopropyltoluene	3,370		
Naphthalene	< 4,220		

ELAP Number 10958

Method: EPA 8260B

Data File: V89335.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V4.XLS

**Volatile Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-5 (9.0')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9347**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/15/2011

Halocarbons	Results in ug / Kg
Bromodichloromethane	< 7.71
Bromomethane	< 7.71
Bromoform	< 19.3
Carbon Tetrachloride	< 7.71
Chloroethane	< 7.71
Chloromethane	< 7.71
2-Chloroethyl vinyl Ether	< 38.6
Chloroform	< 7.71
Dibromochloromethane	< 7.71
1,1-Dichloroethane	< 7.71
1,2-Dichloroethane	< 7.71
1,1-Dichloroethene	< 7.71
cis-1,2-Dichloroethene	< 7.71
trans-1,2-Dichloroethene	< 7.71
1,2-Dichloropropane	< 7.71
cis-1,3-Dichloropropene	< 7.71
trans-1,3-Dichloropropene	< 7.71
Methylene chloride	< 19.3
1,1,2,2-Tetrachloroethane	< 7.71
Tetrachloroethene	< 7.71
1,1,1-Trichloroethane	< 7.71
1,1,2-Trichloroethane	< 7.71
Trichloroethene	< 7.71
Trichlorofluoromethane	< 7.71
Vinyl chloride	< 7.71

Aromatics	Results in ug / Kg
Benzene	< 7.71
Chlorobenzene	< 7.71
Ethylbenzene	< 7.71
Toluene	< 7.71
m,p-Xylene	< 7.71
o-Xylene	< 7.71
Styrene	< 19.3
1,2-Dichlorobenzene	< 7.71
1,3-Dichlorobenzene	< 7.71
1,4-Dichlorobenzene	< 7.71

Ketones	Results in ug / Kg
Acetone	< 38.6
2-Butanone	< 38.6
2-Hexanone	< 19.3
4-Methyl-2-pentanone	< 19.3

Miscellaneous	Results in ug / Kg
Carbon disulfide	< 7.71
Vinyl acetate	< 19.3

ELAP Number 10958

Method: EPA 8260B

Data File: V89308.D

Comments: ug / Kg = microgram per Kilogram

Matrix Spike outliers indicate probable matrix interference

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V5.XLS

**Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-5 (9.0')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9347**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/15/2011

Compound	Results in ug / Kg	Compound	Results in ug / Kg
n-Butylbenzene	< 7.71	1,2,4-Trimethylbenzene	< 7.71
sec-Butylbenzene	< 7.71	1,3,5-Trimethylbenzene	< 7.71
tert-Butylbenzene	< 7.71		
n-Propylbenzene	< 7.71	Miscellaneous	
Isopropylbenzene	< 7.71	Methyl tert-butyl Ether	< 7.71
p-Isopropyltoluene	< 7.71		
Naphthalene	< 19.3		

ELAP Number 10958

Method: EPA 8260B

Data File: V89308.D

Comments: ug / Kg = microgram per Kilogram

Matrix Spike outliers indicate probable matrix interference

Signature: _____

Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V5.XLS

**Volatile Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-6 (9.0')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9349**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/14/2011

Halocarbons	Results in ug / Kg
Bromodichloromethane	< 9.36
Bromomethane	< 9.36
Bromoform	< 23.4
Carbon Tetrachloride	< 9.36
Chloroethane	< 9.36
Chloromethane	< 9.36
2-Chloroethyl vinyl Ether	< 46.8
Chloroform	< 9.36
Dibromochloromethane	< 9.36
1,1-Dichloroethane	< 9.36
1,2-Dichloroethane	< 9.36
1,1-Dichloroethene	< 9.36
cis-1,2-Dichloroethene	< 9.36
trans-1,2-Dichloroethene	< 9.36
1,2-Dichloropropane	< 9.36
cis-1,3-Dichloropropene	< 9.36
trans-1,3-Dichloropropene	< 9.36
Methylene chloride	< 23.4
1,1,2,2-Tetrachloroethane	< 9.36
Tetrachloroethene	< 9.36
1,1,1-Trichloroethane	< 9.36
1,1,2-Trichloroethane	< 9.36
Trichloroethene	< 9.36
Trichlorofluoromethane	< 9.36
Vinyl chloride	< 9.36

Aromatics	Results in ug / Kg
Benzene	< 9.36
Chlorobenzene	< 9.36
Ethylbenzene	< 9.36
Toluene	< 9.36
m,p-Xylene	< 9.36
o-Xylene	< 9.36
Styrene	< 23.4
1,2-Dichlorobenzene	< 9.36
1,3-Dichlorobenzene	< 9.36
1,4-Dichlorobenzene	< 9.36

Ketones	Results in ug / Kg
Acetone	< 46.8
2-Butanone	< 46.8
2-Hexanone	< 23.4
4-Methyl-2-pentanone	< 23.4

Miscellaneous	Results in ug / Kg
Carbon disulfide	< 9.36
Vinyl acetate	< 23.4

ELAP Number 10958

Method: EPA 8260B

Data File: V89307.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V6.XLS



Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)

Client: Day Environmental, Inc

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-6 (9.0')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9349

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/14/2011

Compound	Results in ug / Kg	Compound	Results in ug / Kg
n-Butylbenzene	< 9.36	1,2,4-Trimethylbenzene	22.9
sec-Butylbenzene	< 9.36	1,3,5-Trimethylbenzene	< 9.36
tert-Butylbenzene	< 9.36		
n-Propylbenzene	< 9.36	Miscellaneous	
Isopropylbenzene	< 9.36	Methyl tert-butyl Ether	< 9.36
p-Isopropyltoluene	< 9.36		
Naphthalene	< 23.4		


ELAP Number 10958

Method: EPA 8260B

Data File: V89307.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V6.XLS



Volatile Analysis Report for Soils/Solids/Sludges

Client: **Day Environmental, Inc**

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-7 (8.5')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9350

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/14/2011

Halocarbons	Results in ug / Kg
Bromodichloromethane	< 9.60
Bromomethane	< 9.60
Bromoform	< 24.0
Carbon Tetrachloride	< 9.60
Chloroethane	< 9.60
Chloromethane	< 9.60
2-Chloroethyl vinyl Ether	< 48.0
Chloroform	< 9.60
Dibromochloromethane	< 9.60
1,1-Dichloroethane	< 9.60
1,2-Dichloroethane	< 9.60
1,1-Dichloroethene	< 9.60
cis-1,2-Dichloroethene	< 9.60
trans-1,2-Dichloroethene	< 9.60
1,2-Dichloropropane	< 9.60
cis-1,3-Dichloropropene	< 9.60
trans-1,3-Dichloropropene	< 9.60
Methylene chloride	< 24.0
1,1,2,2-Tetrachloroethane	< 9.60
Tetrachloroethene	< 9.60
1,1,1-Trichloroethane	< 9.60
1,1,2-Trichloroethane	< 9.60
Trichloroethene	< 9.60
Trichlorofluoromethane	< 9.60
Vinyl chloride	< 9.60

Aromatics	Results in ug / Kg
Benzene	< 9.60
Chlorobenzene	< 9.60
Ethylbenzene	< 9.60
Toluene	< 9.60
m,p-Xylene	< 9.60
o-Xylene	< 9.60
Styrene	< 24.0
1,2-Dichlorobenzene	< 9.60
1,3-Dichlorobenzene	< 9.60
1,4-Dichlorobenzene	< 9.60

Ketones	Results in ug / Kg
Acetone	< 48.0
2-Butanone	< 48.0
2-Hexanone	< 24.0
4-Methyl-2-pentanone	< 24.0

Miscellaneous	Results in ug / Kg
Carbon disulfide	< 9.60
Vinyl acetate	< 24.0

ELAP Number 10958

Method: EPA 8260B

Data File: V89309.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V7.XLS



Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)

Client: Day Environmental, Inc

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-7 (8.5')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9350

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/14/2011

Compound	Results in ug / Kg	Compound	Results in ug / Kg
n-Butylbenzene	< 9.60	1,2,4-Trimethylbenzene	< 9.60
sec-Butylbenzene	< 9.60	1,3,5-Trimethylbenzene	< 9.60
tert-Butylbenzene	< 9.60		
n-Propylbenzene	< 9.60	Miscellaneous	
Isopropylbenzene	< 9.60	Methyl tert-butyl Ether	< 9.60
p-Isopropyltoluene	< 9.60		
Naphthalene	< 24.0		

ELAP Number 10958

Method: EPA 8260B

Data File: V89309.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V7.XLS



Volatile Analysis Report for Soils/Solids/Sludges

Client: **Day Environmental, Inc**

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-8 (7.0')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9351

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/14/2011

Halocarbons	Results in ug / Kg
Bromodichloromethane	< 7.92
Bromomethane	< 7.92
Bromoform	< 19.8
Carbon Tetrachloride	< 7.92
Chloroethane	< 7.92
Chloromethane	< 7.92
2-Chloroethyl vinyl Ether	< 39.6
Chloroform	< 7.92
Dibromochloromethane	< 7.92
1,1-Dichloroethane	< 7.92
1,2-Dichloroethane	< 7.92
1,1-Dichloroethene	< 7.92
cis-1,2-Dichloroethene	< 7.92
trans-1,2-Dichloroethene	< 7.92
1,2-Dichloropropane	< 7.92
cis-1,3-Dichloropropene	< 7.92
trans-1,3-Dichloropropene	< 7.92
Methylene chloride	< 19.8
1,1,2,2-Tetrachloroethane	< 7.92
Tetrachloroethene	< 7.92
1,1,1-Trichloroethane	< 7.92
1,1,2-Trichloroethane	< 7.92
Trichloroethene	< 7.92
Trichlorofluoromethane	< 7.92
Vinyl chloride	< 7.92

Aromatics	Results in ug / Kg
Benzene	< 7.92
Chlorobenzene	< 7.92
Ethylbenzene	< 7.92
Toluene	< 7.92
m,p-Xylene	< 7.92
o-Xylene	< 7.92
Styrene	< 19.8
1,2-Dichlorobenzene	< 7.92
1,3-Dichlorobenzene	< 7.92
1,4-Dichlorobenzene	< 7.92

Ketones	Results in ug / Kg
Acetone	< 39.6
2-Butanone	< 39.6
2-Hexanone	< 19.8
4-Methyl-2-pentanone	< 19.8

Miscellaneous	Results in ug / Kg
Carbon disulfide	< 7.92
Vinyl acetate	< 19.8

ELAP Number 10958

Method: EPA 8260B

Data File: V89310.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V8.XLS



Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)

Client: Day Environmental, Inc

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-8 (7.0')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9351

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/14/2011

Compound	Results in ug / Kg	Compound	Results in ug / Kg
n-Butylbenzene	< 7.92	1,2,4-Trimethylbenzene	< 7.92
sec-Butylbenzene	< 7.92	1,3,5-Trimethylbenzene	< 7.92
tert-Butylbenzene	< 7.92		
n-Propylbenzene	< 7.92	Miscellaneous	
Isopropylbenzene	< 7.92	Methyl tert-butyl Ether	< 7.92
p-Isopropyltoluene	< 7.92		
Naphthalene	< 19.8		


ELAP Number 10958

Method: EPA 8260B

Data File: V89310.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V8.XLS



Volatile Analysis Report for Soils/Solids/Sludges

Client: **Day Environmental, Inc**

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-8 (9.0')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9352

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/14/2011

Halocarbons	Results in ug / Kg
Bromodichloromethane	< 10.5
Bromomethane	< 10.5
Bromoform	< 26.2
Carbon Tetrachloride	< 10.5
Chloroethane	< 10.5
Chloromethane	< 10.5
2-Chloroethyl vinyl Ether	< 52.4
Chloroform	< 10.5
Dibromochloromethane	< 10.5
1,1-Dichloroethane	< 10.5
1,2-Dichloroethane	< 10.5
1,1-Dichloroethene	< 10.5
cis-1,2-Dichloroethene	< 10.5
trans-1,2-Dichloroethene	< 10.5
1,2-Dichloropropane	< 10.5
cis-1,3-Dichloropropene	< 10.5
trans-1,3-Dichloropropene	< 10.5
Methylene chloride	< 26.2
1,1,2,2-Tetrachloroethane	< 10.5
Tetrachloroethene	< 10.5
1,1,1-Trichloroethane	< 10.5
1,1,2-Trichloroethane	< 10.5
Trichloroethene	< 10.5
Trichlorofluoromethane	< 10.5
Vinyl chloride	< 10.5

Aromatics	Results in ug / Kg
Benzene	< 10.5
Chlorobenzene	< 10.5
Ethylbenzene	< 10.5
Toluene	< 10.5
m,p-Xylene	< 10.5
o-Xylene	< 10.5
Styrene	< 26.2
1,2-Dichlorobenzene	< 10.5
1,3-Dichlorobenzene	< 10.5
1,4-Dichlorobenzene	< 10.5

Ketones	Results in ug / Kg
Acetone	90.7
2-Butanone	< 52.4
2-Hexanone	< 26.2
4-Methyl-2-pentanone	< 26.2

Miscellaneous	Results in ug / Kg
Carbon disulfide	< 10.5
Vinyl acetate	< 26.2

ELAP Number 10958

Method: EPA 8260B

Data File: V89311.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V9.XLS



Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)

Client: Day Environmental, Inc

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-8 (9.0')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-2830

Lab Sample Number: 9352

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/14/2011

Compound	Results in ug / Kg	Compound	Results in ug / Kg
n-Butylbenzene	23.5	1,2,4-Trimethylbenzene	64.7
sec-Butylbenzene	11.2	1,3,5-Trimethylbenzene	25.1
tert-Butylbenzene	< 10.5		
n-Propylbenzene	< 10.5	Miscellaneous	
Isopropylbenzene	< 10.5	Methyl tert-butyl Ether	< 10.5
p-Isopropyltoluene	< 10.5		
Naphthalene	50.8		

ELAP Number 10958

Method: EPA 8260B

Data File: V89311.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V9.XLS

**Volatile Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TP-8 (9.0')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-2830**Lab Sample Number:** 9352**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/14/2011

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / Kg	Percent Fit
Unknown Aromatic	N/A	10.65	64.5	N/A
Unknown Aromatic	N/A	10.90	54.0	N/A
Unknown Alkane	N/A	11.12	128	N/A
Unknown Aromatic	N/A	11.18	63.9	N/A
Unknown Aromatic	N/A	11.40	55.0	N/A
Unknown Aromatic	N/A	11.57	53.4	N/A
Unknown Aromatic	N/A	11.67	58.7	N/A
Unknown Aromatic	N/A	11.92	130	N/A
Unknown	N/A	12.19	62.4	N/A
Unknown Alkane	N/A	12.35	256	N/A
Unknown	N/A	12.77	76.5	N/A
Unknown Aromatic	N/A	13.13	169	N/A
Unknown Alkane	N/A	13.22	115	N/A
Unknown Alkane	N/A	13.38	92.7	N/A
Unknown Aromatic	N/A	13.61	225	N/A
Unknown	N/A	13.80	62.9	N/A
Unknown Aromatic	N/A	13.93	120	N/A
Unknown Aromatic	N/A	14.10	254	N/A
Unknown	N/A	14.17	76.5	N/A
Unknown Alkane	N/A	14.29	157	N/A

ELAP Number 10958

Method: EPA 8260B

Data File: V89311.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830V9.XLS

**Volatile Analysis Report for Non-potable Water****Client:** Day Environmental, Inc**Client Job Site:** 121+123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** UST 1 Contents**Field ID Number:** N/A**Sample Type:** Water**Lab Project Number:** 11-2830**Lab Sample Number:** 9353**Date Sampled:** 07/07/2011**Date Received:** 07/08/2011**Date Analyzed:** 07/13/2011

Halocarbons	Results in ug / L
Bromodichloromethane	< 2.00
Bromomethane	< 2.00
Bromoform	< 5.00
Carbon Tetrachloride	< 2.00
Chloroethane	< 2.00
Chloromethane	< 2.00
2-Chloroethyl vinyl Ether	< 10.0
Chloroform	< 2.00
Dibromochloromethane	< 2.00
1,1-Dichloroethane	< 2.00
1,2-Dichloroethane	< 2.00
1,1-Dichloroethene	< 2.00
cis-1,2-Dichloroethene	< 2.00
trans-1,2-Dichloroethene	< 2.00
1,2-Dichloropropane	< 2.00
cis-1,3-Dichloropropene	< 2.00
trans-1,3-Dichloropropene	< 2.00
Methylene chloride	< 5.00
1,1,2,2-Tetrachloroethane	< 2.00
Tetrachloroethene	< 2.00
1,1,1-Trichloroethane	< 2.00
1,1,2-Trichloroethane	< 2.00
Trichloroethene	< 2.00
Trichlorofluoromethane	< 2.00
Vinyl chloride	< 2.00

Aromatics	Results in ug / L
Benzene	< 0.700
Chlorobenzene	< 2.00
Ethylbenzene	< 2.00
Toluene	< 2.00
m,p-Xylene	3.31
o-Xylene	< 2.00
Styrene	< 5.00
1,2-Dichlorobenzene	< 2.00
1,3-Dichlorobenzene	< 2.00
1,4-Dichlorobenzene	< 2.00

Ketones	Results in ug / L
Acetone	< 10.0
2-Butanone	< 10.0
2-Hexanone	< 5.00
4-Methyl-2-pentanone	< 5.00

Miscellaneous	Results in ug / L
Carbon disulfide	< 2.00
Vinyl acetate	< 5.00

ELAP Number 10958

Method: EPA 8260B

Data File: V89276.D

Comments: ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830VA.XLS



Volatile Analysis Report for Non-potable Water (Additional STARS Compounds)

Client: Day Environmental, Inc

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: UST 1 Contents

Field ID Number: N/A

Sample Type: Water

Lab Project Number: 11-2830

Lab Sample Number: 9353

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/13/2011

Compound	Results in ug / L	Compound	Results in ug / L
n-Butylbenzene	< 2.00	1,2,4-Trimethylbenzene	8.93
sec-Butylbenzene	< 2.00	1,3,5-Trimethylbenzene	8.70
tert-Butylbenzene	< 2.00		
n-Propylbenzene	< 2.00	Miscellaneous	
Isopropylbenzene	< 2.00	Methyl tert-butyl Ether	< 2.00
p-Isopropyltoluene	< 2.00		
Naphthalene	< 5.00		

ELAP Number 10958

Method: EPA 8260B

Data File: V89276.D

Comments: ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830VA.XLS



Volatile Analysis Report for Non-potable Water

Client: **Day Environmental, Inc**

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: UST 2 Contents

Field ID Number: N/A

Sample Type: Water

Lab Project Number: 11-2830

Lab Sample Number: 9354

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/13/2011

Halocarbons	Results in ug / L
Bromodichloromethane	< 2.00
Bromomethane	< 2.00
Bromoform	< 5.00
Carbon Tetrachloride	< 2.00
Chloroethane	< 2.00
Chloromethane	< 2.00
2-Chloroethyl vinyl Ether	< 10.0
Chloroform	< 2.00
Dibromochloromethane	< 2.00
1,1-Dichloroethane	< 2.00
1,2-Dichloroethane	< 2.00
1,1-Dichloroethene	< 2.00
cis-1,2-Dichloroethene	< 2.00
trans-1,2-Dichloroethene	< 2.00
1,2-Dichloropropane	< 2.00
cis-1,3-Dichloropropene	< 2.00
trans-1,3-Dichloropropene	< 2.00
Methylene chloride	< 5.00
1,1,2,2-Tetrachloroethane	< 2.00
Tetrachloroethene	< 2.00
1,1,1-Trichloroethane	< 2.00
1,1,2-Trichloroethane	< 2.00
Trichloroethene	< 2.00
Trichlorofluoromethane	< 2.00
Vinyl chloride	< 2.00

Aromatics	Results in ug / L
Benzene	< 0.700
Chlorobenzene	< 2.00
Ethylbenzene	< 2.00
Toluene	< 2.00
m,p-Xylene	3.24
o-Xylene	< 2.00
Styrene	< 5.00
1,2-Dichlorobenzene	< 2.00
1,3-Dichlorobenzene	< 2.00
1,4-Dichlorobenzene	< 2.00

Ketones	Results in ug / L
Acetone	< 10.0
2-Butanone	< 10.0
2-Hexanone	< 5.00
4-Methyl-2-pentanone	< 5.00

Miscellaneous	Results in ug / L
Carbon disulfide	< 2.00
Vinyl acetate	< 5.00

ELAP Number 10958

Method: EPA 8260B

Data File: V89277.D

Comments: ug / L = microgram per Liter

Surrogate outliers indicate probable matrix interference

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830VB.XLS



Volatile Analysis Report for Non-potable Water (Additional STARS Compounds)

Client: Day Environmental, Inc

Client Job Site: 121+123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: UST 2 Contents

Field ID Number: N/A

Sample Type: Water

Lab Project Number: 11-2830

Lab Sample Number: 9354

Date Sampled: 07/07/2011

Date Received: 07/08/2011

Date Analyzed: 07/13/2011

Compound	Results in ug / L	Compound	Results in ug / L
n-Butylbenzene	< 2.00	1,2,4-Trimethylbenzene	103
sec-Butylbenzene	6.49	1,3,5-Trimethylbenzene	115
tert-Butylbenzene	< 2.00		
n-Propylbenzene	< 2.00	Miscellaneous	
Isopropylbenzene	< 2.00	Methyl tert-butyl Ether	< 2.00
p-Isopropyltoluene	19.5		
Naphthalene	< 5.00		

ELAP Number 10958

Method: EPA 8260B

Data File: V89277.D

Comments: ug / L = microgram per Liter

Surrogate outliers indicate probable matrix interference

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

112830VB.XLS

CHAIN OF CUSTODY

1 of 2



REPORT TO:

INVOICE TO:

COMPANY: Day Environmental Inc.		COMPANY: Same		LAB PROJECT #:	CLIENT PROJECT #:
ADDRESS: 40 Commercial Street		ADDRESS:		11-2830	45765-11
CITY: Rochester	STATE: NY	CITY:	STATE:	TURNAROUND TIME: (WORKING DAYS)	
ZIP: 14614		ZIP:			
PHONE: 585-454-0215	FAX: 585-454-0825	PHONE:	FAX:		
ATTN: Jeff Danziger		ATTN:			
COMMENTS: TILS = Tentatively Identified Compounds				STANDARD OTHER	
REQUESTED ANALYSIS				Quotation # MS 062711B	

DATE	TIME	C O M P O S I T E	G R A B	SAMPLE LOCATION/FIELD ID	M A T R I X	C O N T A I N E R S	REMARKS	PARADIGM LAB SAMPLE NUMBER
17/7/11	0925		X	TP-1 (7.5')	Soil	1		9342
27/7/11	1130		X	TP-2 (9.0')	Soil	1		9343
37/7/11	1345		X	TP-4 (5.0')	Soil	1		9344
47/7/11	1350		X	TP-4 (9.0')	Soil	1		9345
57/7/11	1410		X	TP-5 (3.5')	Soil	1		9346
67/7/11	1415		X	TP-5 (9.0')	Soil	1		9347
77/7/11	1450		X	TP-6 (3.0')	Soil	1		9348
87/7/11	1455		X	TP-6 (9.0')	Soil	1		9349
97/7/11	1520		X	TP-7 (8.5')	Soil	1		9350
107/7/11	1535		X	TP-8 (7.0')	Soil	1		9351

LAB USE ONLY BELOW THIS LINE

Sample Condition: Per NELAC/EIAP 210/241/242/243/244

Receipt Parameter NELAC Compliance

Comments:	Container Type:	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
Comments:	Preservation:	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
Comments:	Holding Time:	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
Comments:	Temperature:	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>

Sampled By	Date/Time	Total Cost:
Charles Thompson (POT)	7-7-11 / 1625	
Relinquished By	Date/Time	
	7-8-11 / 1453	
Received By	Date/Time	P.L.F.
Elizabeth A. Honck	7/8/11 1730	
Received @ Lab By	Date/Time	

CHAIN OF CUSTODY

2 of 2



REPORT TO:

INVOICE TO:

PROJECT NAME/ITE NAME:
121 + 123 Reynolds Street
Rochester, New York

COMPANY: Day Environmental, Inc.		COMPANY: Same		LAB PROJECT #:	CLIENT PROJECT #:
ADDRESS: 40 Commercial Street		ADDRESS:		11.2830	45765-11
CITY: Rochester	STATE: NY	CITY:	STATE:	TURNAROUND TIME: (WORKING DAYS)	
ZIP: 14614	FAX: 585-454-0825	ZIP:	FAX:		
PHONE: 585-454-0818	ATTN: Jeff DeZurco	PHONE:	ATTN:	STD OTHER	
COMMENTS: TICS = Tentatively Identified Compounds				Quotation # MS 062711B	

REQUESTED ANALYSIS

DATE	TIME	C O M P O S I T E	G R A B	SAMPLE LOCATION/FIELD ID	M A T R I X	C O N T A I N E R S	REMARKS	PARADIGM LAB SAMPLE NUMBER
1 7/7/11	15:40		X	TP-B (9.5')	Soil	1 X	Include VOL TICS	9352
2 7/7/11	11:00		X	UST 1 Contactor	Water	2 X		9353
3 7/7/11	11:05		X	UST 2 Contactor	Water	2 X		9354
4 7/7/11	11:10		X	UST 1/UST 2 Contactor	Water	1 X		9355
5								
6								
7								
8								
9								
10								

LAB USE ONLY BELOW THIS LINE

Sample Condition: Per NELAC/ELAP 210/241/242/243/244

Receipt Parameter		NELAC Compliance	
Container Type:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N		
Preservation:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N		
Holding Time:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N		
Temperature:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N		
Comments:	6°Ciced		

Sampled By	Charles Hampton (p12)	Date/Time	7-7-11/1625	Total Cost:	
Relinquished By		Date/Time	7-8-11/1433		
Received By	Elizbeth A. Honick	Date/Time	7/8/11 1453	P.I.F.	
Received @ Lab By		Date/Time	7/8/11 1730		

APPENDIX D

Tank Closure Report and Soil Removal Package

**UNDERGROUND STORAGE TANK
CLOSURE REPORT
Tank 1 of 4**

Day Environmental Personnel on-site:

C. Hampton / J. Danzinger

Project #:

4576S-11

Date of Removal:

August 31, 2011 and September 2, 2011

Weather/Temperature:

Sunny, 70-80 degrees F.

1. PROPERTY LOCATION

Name of Facility:

Vacant Land

Street:

121 and 123 Reynolds Street

Town & State:

Rochester, New York

2. REMOVAL CONTRACTOR

Contractor Name:

TREC Environmental Inc.

Worker Names:

Steve Stockmaster, Jim Agar, Steve Warner

Equipment Operators:

Steve Stockmaster, Jim Agar, Steve Warner

3. CLIENT NAME AND PHONE #:

City of Rochester, Department of Environmental
Quality (595) 428-6649

4. NYSDEC NOTIFIED OF REMOVAL?

Yes

**5. UNDERGROUND UTILITY
STAKEOUT FILE#:**

08251-120-107 and 08251-120-108

6. TANK/PIPING DESCRIPTION:

Tank Dimensions:

10.6 ft length x 4 ft diameter

Take Pictures of each side of each tank

Tank Size:

1000-gallon capacity

Vol. of product left in tank:

Approximately 3 inches of water/sludge measured in
the bottom of the tank.

Tank Age:

Installed prior to 1938.

Tank composition:

Steel

6. TANK/PIPING DESCRIPTION: (cont.)

External protection:	None
Holes in tank/piping:	Multiple 0.5-1 inch diameter holes in the tank bottom.
Tank integrity/condition:	Poor; east and west end walls are separating at base.
Pitting/corrosion/scale:	General corrosion; pitting and scale on tank bottom.
Condition of flanges	The flanges were intact prior to removal.
Condition of Piping (e.g., fillport, ventpipe distribution lines, etc.):	The piping was not attached to the tank.
Secondary Containment:	None
Leak Detection:	None

7. DETERMINATION OF CONTAMINATION:

Evidence that tank had leaked?	Yes. Petroleum impacted soil was encountered.
Depth to bedrock:	Approximately 9 ft below ground surface (bgs).
Depth to groundwater:	Not encountered.
Sheen on groundwater?	N/A
Soil lithology (e.g., clay):	Sand, some clay.
Stained/discolored soils?	Yes
Depth of discolored soils:	Encountered between ~7 ft and ~9 ft bgs.
Petroleum odors from soils?	Yes
Peak PID readings on ambient headspace air above selected soil samples (ppm):	Range between 989 ppm and 1,778 ppm in Tank 1/Tank 2 excavation.
Background PID readings:	N/A

7. DETERMINATION OF CONTAMINATION: (Cont.)

Discolored soils loaded for disposal:	Direct loaded into Silvarole Trucking Co, Inc. dump trucks (NYSDEC Part 364 #8A-190)
Quantity of soils removed:	68.12 Tons (Total for Tank 1/ Tank 2 excavation)
Groundwater well installed:	No

8. LAB ANALYSIS:

Samples collected?	Yes
Sample location(s):	Tank 1/Tank 2 excavation sidewall –north (9' bgs) Tank 1/Tank 2 excavation sidewall–south (9'bgs) Tank 1/Tank 2 excavation sidewall–east (8.8' bgs) Tank 1/Tank 2 excavation sidewall–west (9'bgs)
Lab analysis	NYSDEC STARS-List VOCs by USEPA method 8260.
Lab results:	See Attachment A

9. TANK CLEANING/WASTE GENERATION:

Sludge in tank (gal.)	Approximately 38 gallons of sludge/wash water were removed from the tank.
Tank cleaning method:	Pressure Washer/Vacuum from Vac Truck.
Vapors displacement method:	N/A; Combustible Vapor reading in the tank prior to removal: oxygen =29.2% , LEL =0
Vol. of washwaters generated:	Approximately 38 gallons of sludge/wash water were removed from the tank.
Storage/staging of washwaters:	Removed by Green Environment Specialists, Inc.
Washwater & sludge disposal:	Processed by Green Environment Specialists, Inc. (See Attachment B)
Tank cut up on-site:	No
Tank destination:	Metalico Inc., 1515 Scottsville Rd, Rochester, NY
Contractor hauling tank:	TREC Environmental, Inc.

10. PHOTOGRAPHS:

Photos of tank:

See Attachment C

Photos of pit:

See Attachment C

Photo showing tank location:

See Attachment C

11. SPILL REPORT FILED?

Yes; previously filed as a result of subsurface petroleum impacts being encountered during construction work on the adjoining parcel to the south

Agency:

NYSDEC

Spill Report No.:

1103833

Contact:

Mike Zamiarski

12. FATE OF EXCAVATION:

Filled/capped (e.g., gravel)

Excavated soil below the tank 1/tank 2 footprints to refusal on bedrock and backfill with import material and non-impacted spoils (Attachment D).

Dimensions of Tank 1/Tank 2 Excavation

Approximately 18 ft x 14 ft (252 square ft)

Peak PID Readings on East Wall and Depth

1,658 ppm; 8.8 ft below ground surface

Peak PID Readings on West Wall and Depth

1,580 ppm; 9 ft below ground surface

Peak PID Readings on South Wall and Depth

989 ppm; 9 ft below ground surface

Peak PID Readings on North Wall and Depth

1,778 ppm; 9 ft below ground surface

Security Fencing present overnight

Yes

13. NEAREST BUILDING/UTILITY:

No buildings are present on the Site. Nearest off-site building is vacant single family house on adjoining parcel to the west. Gas and water utilities are located in the Reynolds Street right-of-way, approximately 20' to the east.

14. WASTE CHARACTERIZATION OF SOIL

See Attachment E

15. SOIL DISPOSAL

Disposed of at Mill Seat Landfill in Bergen, NY under Waste Management, Inc. profile #108107NY (See Attachment F)

**UNDERGROUND STORAGE TANK
CLOSURE REPORT
Tank 2 of 4**

Day Environmental Personnel on-site:

C. Hampton / J. Danzinger

Project #:

4576S-11

Date of Removal:

August 31, 2011 and September 2, 2011

Weather/Temperature:

Sunny, 70-80 degrees F.

1. PROPERTY LOCATION

Name of Facility:

Vacant Land

Street:

121 and 123 Reynolds Street

Town & State:

Rochester, New York

2. REMOVAL CONTRACTOR

Contractor Name:

TREC Environmental Inc.

Worker Names:

Steve Stockmaster, Jim Agar, Steve Warner

Equipment Operators:

Steve Stockmaster, Jim Agar, Steve Warner

3. CLIENT NAME AND PHONE #:

City of Rochester, Department of Environmental
Quality (585) 428-6649

4. NYSDEC NOTIFIED OF REMOVAL?

Yes

**5. UNDERGROUND UTILITY
STAKEOUT FILE#:**

08251-120-107 and 08251-120-108

6. TANK/PIPING DESCRIPTION:

Tank Dimensions:

10.6 ft length x 4 ft diameter

Take Pictures of each side of each tank

Tank Size:

1000-gallon capacity

Vol. of product left in tank:

Approximately 3 inches of water/sludge measured in
the bottom of the tank.

Tank Age:

Installed prior to 1938.

Tank composition:

Steel

6. TANK/PIPING DESCRIPTON: (cont.)

External protection:	None
Holes in tank/piping:	Tank Bottom - ~1 inch diameter; east and west end walls at base, ~ 0.5 in diameter.
Tank integrity/condition:	Poor
Pitting/corrosion/scale:	General corrosion; scale on sides; pitting on bottom.
Condition of flanges	The flanges were intact prior to removal.
Condition of Piping (e.g., fillport, ventpipe distribution lines, etc.):	The piping was not attached to the tank.
Secondary Containment:	None
Leak Detection:	None

7. DETERMINATION OF CONTAMINATION:

Evidence that tank had leaked?	Yes. Petroleum impacted soil was encountered.
Depth to bedrock:	Approximately 9 ft below ground surface (bgs).
Depth to groundwater:	Not encountered.
Sheen on groundwater?	N/A
Soil lithology (e.g., clay):	Sand, some clay.
Stained/discolored soils?	Yes
Depth of discolored soils:	Encountered between ~7 ft and ~9 ft bgs.
Petroleum odors from soils?	Yes
Peak PID readings on ambient headspace air above selected soil samples (ppm):	Range between 989 ppm and 1,778 ppm in Tank 1/Tank 2 excavation.
Background PID readings:	N/A

7. DETERMINATION OF CONTAMINATION: (Cont.)

Discolored soils loaded for disposal:	Direct loaded into Silvarole Trucking Co, Inc. dump trucks (NYSDEC part 364 #8A-190)
Quantity of soils removed:	68.12 Tons (Total for Tank 1/ Tank 2 excavation)
Groundwater well installed:	No

8. LAB ANALYSIS:

Samples collected?	Yes
Sample location(s):	Tank 1/Tank 2 excavation sidewall –north (9' bgs) Tank 1/Tank 2 excavation sidewall–south (9'bgs) Tank 1/Tank 2 excavation sidewall–east (8.8' bgs) Tank 1/Tank 2 excavation sidewall–west (9'bgs)
Lab analysis	NYSDEC STARS-List VOCs by USEPA method 8260.
Lab results:	See Attachment A

9. TANK CLEANING/WASTE GENERATION:

Sludge in tank (gal.)	Approximately 44 gallons of sludge/wash water were removed from the tank.
Tank cleaning method:	Pressure Washer/Vacuum from Vac Truck.
Vapors displacement method:	N/A; combustible vapor reading in the tank prior to removal: oxygen =29.2% , LEL =0
Vol. of washwaters generated:	Approximately 44 gallons of sludge/wash water were removed from the tank.
Storage/staging of washwaters:	Removed by Green Environment Specialists, Inc.
Washwater & sludge disposal:	Processed by Green Environment Specialists, Inc. (See Attachment B)
Tank cut up on-site:	No
Tank destination:	Metalico Inc., 1515 Scottsville Rd, Rochester, NY
Contractor hauling tank:	TREC Environmental, Inc.

10. PHOTOGRAPHS:

Photos of tank:

See Attachment C

Photos of pit:

See Attachment C

Photo showing tank location:

See Attachment C

11. SPILL REPORT FILED?

Yes; previously filed as a result of subsurface petroleum impacts being encountered during construction work on the adjoining parcel to the south

Agency:

NYSDEC

Spill Report No.:

1103833

Contact:

Mike Zamiarski

12. FATE OF EXCAVATION:

Filled/capped (e.g., gravel)

Excavated soil below the tank 1/tank 2 footprints to refusal on bedrock and backfill with import material and non-impacted spoils (Attachment D).

Dimensions of Tank 1/Tank 2 Excavation

Approximately 18 ft x 14 ft (252 square ft)

Peak PID Readings on East Wall and Depth

1,658 ppm; 8.8 ft below ground surface

Peak PID Readings on West Wall and Depth

1,580 ppm; 9 ft below ground surface

Peak PID Readings on South Wall and Depth

989 ppm; 9 ft below ground surface

Peak PID Readings on North Wall and Depth

1,778 ppm; 9 ft below ground surface

Security Fencing present overnight

Yes

13. NEAREST BUILDING/UTILITY:

No buildings are present on the Site. Nearest off-site building is vacant single family house on adjoining parcel to the west. Gas and water utilities are located in the Reynolds Street right-of-way, approximately 20' to the east.

14. WASTE CHARACTERIZATION OF SOIL

See Attachment E

15. SOIL DISPOSAL

Disposed of at Mill Seat Landfill in Bergen, NY under Waste Management, Inc. profile #108107NY. (See Attachment F)

**UNDERGROUND STORAGE TANK
CLOSURE REPORT
Tank 3 of 4**

Day Environmental Personnel on-site:

C. Hampton / J. Danzinger

Project #:

4576S-11

Date of Removal:

August 31, 2011 and September 2, 2011

Weather/Temperature:

Sunny, 70-80 degrees F.

1. PROPERTY LOCATION

Name of Facility:

Vacant Land

Street:

121 and 123 Reynolds Street

Town & State:

Rochester, New York

2. REMOVAL CONTRACTOR

Contractor Name:

TREC Environmental Inc.

Worker Names:

Steve Stockmaster, Jim Agar, Steve Warner

Equipment Operators:

Steve Stockmaster, Jim Agar, Steve Warner

3. CLIENT NAME AND PHONE #:

City of Rochester, Department of
Environmental Quality (585) 428-6649

4. NYSDEC NOTIFIED OF REMOVAL?

Yes

**5. UNDERGROUND UTILITY
STAKEOUT FILE#:**

08251-120-107 and 08251-120-108

6. TANK/PIPING DESCRIPTION:

Tank Dimensions:

10.6 ft length x 4 ft diameter

Take Pictures of each side of each tank

Tank Size:

1000-gallon capacity

Vol. of product left in tank:

Less than 1 in water and sludge were measured in the
bottom of the tank.

Tank Age:

Installed prior to 1938.

Tank composition:

Steel

6. TANK/PIPING DESCRIPTION: (cont.)

External protection:	None
Holes in tank/piping:	Multiple 0.5-1 inch diameter holes in the tank bottom, east end wall base, and south sidewall.
Tank integrity/condition:	Poor
Pitting/corrosion/scale:	General corrosion; pitting and scale on tank bottom.
Condition of flanges	West end flanges missing; east end flanges intact.
Condition of Piping (e.g., fillport, ventpipe distribution lines, etc.):	The piping was not attached to the tank.
Secondary Containment:	None
Leak Detection:	None

7. DETERMINATION OF CONTAMINATION:

Evidence that tank had leaked?	Yes. Petroleum impacted soil was encountered.
Depth to bedrock:	Approximately 10 ft below ground surface (bgs).
Depth to groundwater:	Not encountered.
Sheen on groundwater?	N/A
Soil lithology (e.g., clay):	Sand, some clay.
Stained/discolored soils?	Yes
Depth of discolored soils:	~6 ft to 10 ft bgs in east end of the excavation, ~9 ft to 10 ft bgs in the west end of the excavation.
Petroleum odors from soils?	Yes
Peak PID readings on ambient headspace air above selected soil samples (ppm):	Range between 0.0 ppm and 1,542 ppm in Tank 3/Tank 4 excavation.
Background PID readings:	N/A

7. DETERMINATION OF CONTAMINATION: (Cont.)

Discolored soils loaded for disposal:	Direct loaded into Silvarole Trucking Co, Inc. dump trucks (NYSDEC part 364 #8A-190)
Quantity of soils removed:	57.15 Tons (Total for Tank 3/ Tank 4 excavation)
Groundwater well installed:	No

8. LAB ANALYSIS:

Samples collected?	Yes
Sample location(s):	Tank 3/Tank 4 excavation sidewall –north (8.5' bgs) Tank 3/Tank 4 excavation sidewall–south (10' bgs) Tank 3/Tank 4 excavation sidewall–east (10' bgs) Tank 3/Tank 4 excavation sidewall–west (9.5' bgs)
Lab analysis	NYSDEC STARS-List VOCs by USEPA method 8260.
Lab results:	See Attachment A

9. TANK CLEANING/WASTE GENERATION:

Sludge in tank (gal.)	Approximately 15 gallons of sludge/wash water were removed from the tank.
Tank cleaning method:	Pressure Washer/Vacuum from Vac Truck.
Vapors displacement method:	N/A; Combustible Vapor reading in the tank prior to removal: oxygen =29.2% , LEL =0
Vol. of washwaters generated:	Approximately 15 gallons of sludge/wash water were removed from the tank.
Storage/staging of washwaters:	Removed by Green Environment Specialists, Inc.
Washwater & sludge disposal:	Processed by Green Environment Specialists, Inc. (See attachment B)
Tank cut up on-site:	No
Tank destination:	Metalico Inc., 1515 Scottsville Rd, Rochester, NY
Contractor hauling tank:	TREC Environmental, Inc.

10. PHOTOGRAPHS:

Photos of tank:

See Attachment C

Photos of pit:

See Attachment C

Photo showing tank location:

See Attachment C

11. SPILL REPORT FILED?

Yes; previously filed as a result of subsurface petroleum impacts being encountered during construction work on the adjoining parcel to the south

Agency:

NYSDEC

Spill Report No.:

1103833

Contact:

Mike Zamiarski

12. FATE OF EXCAVATION:

Filled/capped (e.g., gravel)

Excavated soil below the tank 3/tank 4 footprints to refusal on bedrock and backfill with import material and non-impacted spoils (Attachment D).

Dimensions of Tank 3/Tank 4 Excavation

Approximately 9 ft x 42 ft (378 square ft)

Peak PID Readings on East Wall and Depth

1,542 ppm; 8.8 ft below ground surface

Peak PID Readings on West Wall and Depth

0.0 ppm; 9.5 ft below ground surface

Peak PID Readings on South Wall and Depth

1,202 ppm; 9 ft below ground surface

Peak PID Readings on North Wall and Depth

1,314 ppm; 9 ft below ground surface

Security Fencing present overnight

Yes

13. NEAREST BUILDING/UTILITY:

No buildings are present on the Site. Nearest off-site building is vacant single family house on adjoining parcel to the west. Tremont Street is located ~ 14 ft to the North. No utilities were encountered in the Tremont Street right-of-way.

14. WASTE CHARACTERIZATION OF SOIL

See Attachment E

15. SOIL DISPOSAL

Disposed of at Mill Seat Landfill in Bergen, NY under Waste Management, Inc. profile #108107NY. (See Attachment F)

**UNDERGROUND STORAGE TANK
CLOSURE REPORT
Tank 4 of 4**

Day Environmental Personnel on-site:

C. Hampton / J. Danzinger

Project #:

4576S-11

Date of Removal:

August 31, 2011 and September 2, 2011

Weather/Temperature:

Sunny, 70-80 degrees F.

1. PROPERTY LOCATION

Name of Facility:

Vacant Land

Street:

121 and 123 Reynolds Street

Town & State:

Rochester, New York

2. REMOVAL CONTRACTOR

Contractor Name:

TREC Environmental Inc.

Worker Names:

Steve Stockmaster, Jim Agar, Steve Warner

Equipment Operators:

Steve Stockmaster, Jim Agar, Steve Warner

3. CLIENT NAME AND PHONE #:

City of Rochester, Department of
Environmental Quality (585) 428-6649

4. NYSDEC NOTIFIED OF REMOVAL?

Yes

**5. UNDERGROUND UTILITY
STAKEOUT FILE#:**

08251-120-107 and 08251-120-108

6. TANK/PIPING DESCRIPTION:

Tank Dimensions:

10.6 ft length x 4 ft diameter

Take Pictures of each side of each tank

Tank Size:

1000-gallon capacity

Vol. of product left in tank:

None; the tank was dry.

Tank Age:

Installed prior to 1938.

Tank composition:

Steel

6. TANK/PIPING DESCRIPTION: (cont.)

External protection:	None
Holes in tank/piping:	Multiple 0.5-3 inch diameter holes in the tank bottom, east end wall base, and west end wall.
Tank integrity/condition:	Poor
Pitting/corrosion/scale:	General corrosion; pitting and scale on tank bottom.
Condition of flanges	Intact prior to removal.
Condition of Piping (e.g., fillport, ventpipe distribution lines, etc.):	The piping was not attached to the tank.
Secondary Containment:	None
Leak Detection:	None

7. DETERMINATION OF CONTAMINATION:

Evidence that tank had leaked?	Yes. Petroleum impacted soil was encountered.
Depth to bedrock:	Approximately 10 ft below ground surface (bgs).
Depth to groundwater:	Not encountered.
Sheen on groundwater?	N/A
Soil lithology (e.g., clay):	Sand, some clay.
Stained/discolored soils?	Yes
Depth of discolored soils:	~6 ft to 10 ft bgs in east end of the excavation, ~9 ft to 10 ft bgs in the west end of the excavation.
Petroleum odors from soils?	Yes
Peak PID readings on ambient headspace air above selected soil samples (ppm):	Range between 0.0 ppm and 1,542 ppm in Tank 3/Tank 4 excavation.
Background PID readings:	N/A

**7. DETERMINATION OF CONTAMINATION:
(Cont.)**

Discolored soils loaded for disposal:	Direct loaded into Silvarole Trucking Co, Inc. dump trucks (NYSDEC part 364 #8A-190)
Quantity of soils removed:	57.15 Tons (Total for Tank 3/ Tank 4 excavation)
Groundwater well installed:	No

8. LAB ANALYSIS:

Samples collected?	Yes
Sample location(s):	Tank 3/Tank 4 excavation sidewall –north (8.5' bgs) Tank 3/Tank 4 excavation sidewall–south (10' bgs) Tank 3/Tank 4 excavation sidewall–east (10' bgs) Tank 3/Tank 4 excavation sidewall–west (9.5' bgs)
Lab analysis	NYSDEC STARS-List VOCs by USEPA method 8260.
Lab results:	See Attachment A

9. TANK CLEANING/WASTE GENERATION:

Sludge in tank (gal.)	Tank interior was dry.
Tank cleaning method:	N/A
Vapors displacement method:	N/A; Combustible Vapor reading in the tank prior to removal: oxygen =29.2% , LEL =0
Vol. of washwaters generated:	N/A
Storage/staging of washwaters:	N/A
Washwater & sludge disposal:	N/A
Tank cut up on-site:	No
Tank destination:	Metalico Inc., 1515 Scottsville Rd, Rochester, NY
Contractor hauling tank:	TREC Environmental, Inc.

10. PHOTOGRAPHS:

Photos of tank:

See Attachment C

Photos of pit:

See Attachment C

Photo showing tank location:

See Attachment C

11. SPILL REPORT FILED?

Yes; previously filed as a result of subsurface petroleum impacts being encountered during construction work on the adjoining parcel to the south

Agency:

NYSDEC

Spill Report No.:

1103833

Contact:

Mike Zamiarski

12. FATE OF EXCAVATION:

Filled/capped (e.g., gravel)

Excavated soil below the tank 3/tank 4 footprints to refusal on bedrock and backfill with import material and non-impacted spoils (Attachment D).

Dimensions of Tank 3/Tank 4 Excavation

Approximately 9 ft x 42 ft (378 square ft)

Peak PID Readings on East Wall and Depth

1,542 ppm; 8.8 ft below ground surface

Peak PID Readings on West Wall and Depth

0.0 ppm; 9.5 ft below ground surface

Peak PID Readings on South Wall and Depth

1,202 ppm; 9 ft below ground surface

Peak PID Readings on North Wall and Depth

1,314 ppm; 9 ft below ground surface

Security Fencing present overnight

Yes

13. NEAREST BUILDING/UTILITY:

No buildings are present on the Site. Nearest off-site building is vacant single family house on adjoining parcel to the west. Tremont Street is located ~ 14 ft to the North. No utilities were encountered in the Tremont Street right-of-way.

14. WASTE CHARACTERIZATION OF SOIL

See Attachment E

15. SOIL DISPOSAL

Disposed of at Mill Seat Landfill in Bergen, NY under Waste Management, Inc. profile #108107NY. (See Attachment F)

ATTACHMENT A



PARADIGM
ENVIRONMENTAL SERVICES, INC.

Analytical Report Cover Page

Day Environmental, Inc.

For Lab Project # 11-3739
Issued September 12, 2011
This report contains a total of 11 pages

The reported results relate only to the samples as they have been received by the laboratory.

Any noncompliant QC parameters having impact on the data are flagged or documented on the final report.

All soil/sludge samples have been reported on a dry weight basis, unless qualified "reported as received". Other solids are reported as received.

Each page of this document is part of a multipage report. This document may not be reproduced except in its entirety, without the prior consent of Paradigm Environmental Services, Inc.

The Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. Sample condition requirements are defined under the 2003 NELAC Standard, sections 5.5.8.3.1 and 5.5.8.3.2.

NYSDOH ELAP does not certify for all parameters. Paradigm Environmental Services or the indicated subcontracted laboratory does hold certification for all analytes where certification is offered by ELAP unless otherwise specified.

Data qualifiers are used, when necessary, to provide additional information about the data. This information may be communicated as a flag or as text at the bottom of the report. Please refer to the following list of frequently used data flags and their meaning:

"<" = analyzed for but not detected at or above the reporting limit.

"E" = Result has been estimated, calibration limit exceeded.

"Z" = See case narrative.

"D" = Duplicate results outside QC limits. May indicate a non-homogenous matrix.

"M" = Matrix spike recoveries outside QC limits. Matrix bias indicated.

"B" = Method blank contained trace levels of analyte. Refer to included method blank report.



Volatile STARS Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121 + 123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TK1/2 EXC-N (9')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-3739

Lab Sample Number: 13067

Date Sampled: 09/02/2011

Date Received: 09/02/2011

Date Analyzed: 09/09/2011

Aromatics	Results in ug / Kg
Benzene	< 117
n-Butylbenzene	< 117
sec-Butylbenzene	423
tert-Butylbenzene	< 117
Ethylbenzene	955
n-Propylbenzene	1,510
Isopropylbenzene	512
p-Isopropyltoluene	924
Naphthalene	2,250
Toluene	< 117
1,2,4-Trimethylbenzene	12,400
1,3,5-Trimethylbenzene	6,350
m,p-Xylene	4,330
o-Xylene	143
Miscellaneous	
Methyl tert-butyl Ether	< 117

ELAP Number 10958

Method: EPA 8260B

Data File: V91450.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

113739V1.XLS

**Volatile STARS Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc.**Client Job Site:** 121 + 123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TK1/2 EXC-E (8.8')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-3739**Lab Sample Number:** 13068**Date Sampled:** 09/02/2011**Date Received:** 09/02/2011**Date Analyzed:** 09/09/2011

Aromatics	Results in ug / Kg
Benzene	< 278
n-Butylbenzene	< 278
sec-Butylbenzene	487
tert-Butylbenzene	< 278
Ethylbenzene	1,350
n-Propylbenzene	2,230
Isopropylbenzene	592
p-Isopropyltoluene	774
Naphthalene	2,520
Toluene	< 278
1,2,4-Trimethylbenzene	14,400
1,3,5-Trimethylbenzene	5,630
m,p-Xylene	5,260
o-Xylene	< 278
Miscellaneous	
Methyl tert-butyl Ether	< 278

ELAP Number 10958

Method: EPA 8260B

Data File: V91453.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

113739V2.XLS

**Volatile STARS Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc.**Client Job Site:** 121 + 123 Reynolds Street
Rochester, NY**Client Job Number:** 4576S-11**Field Location:** TK1/2 EXC-S (9')**Field ID Number:** N/A**Sample Type:** Soil**Lab Project Number:** 11-3739**Lab Sample Number:** 13069**Date Sampled:** 09/02/2011**Date Received:** 09/02/2011**Date Analyzed:** 09/09/2011

Aromatics	Results in ug / Kg
Benzene	< 260
n-Butylbenzene	< 260
sec-Butylbenzene	< 260
tert-Butylbenzene	< 260
Ethylbenzene	1,220
n-Propylbenzene	841
Isopropylbenzene	385
p-Isopropyltoluene	429
Naphthalene	760
Toluene	< 260
1,2,4-Trimethylbenzene	7,190
1,3,5-Trimethylbenzene	3,470
m,p-Xylene	6,290
o-Xylene	< 260
Miscellaneous	
Methyl tert-butyl Ether	< 260

ELAP Number 10958

Method: EPA 8260B

Data File: V91454.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

113739V3.XLS



Volatile STARS Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121 + 123 Reynolds Street
Rochester, NY
Client Job Number: 4576S-11
Field Location: TK1/2 EXC-W (9')
Field ID Number: N/A
Sample Type: Soil

Lab Project Number: 11-3739
Lab Sample Number: 13070
Date Sampled: 09/02/2011
Date Received: 09/02/2011
Date Analyzed: 09/12/2011

Aromatics	Results in ug / Kg
Benzene	< 21,300
n-Butylbenzene	< 21,300
sec-Butylbenzene	< 21,300
tert-Butylbenzene	< 21,300
Ethylbenzene	143,000
n-Propylbenzene	116,000
Isopropylbenzene	28,900
p-Isopropyltoluene	< 21,300
Naphthalene	< 53,400
Toluene	< 21,300
1,2,4-Trimethylbenzene	616,000
1,3,5-Trimethylbenzene	216,000
m,p-Xylene	620,000
o-Xylene	61,000
Miscellaneous	
Methyl tert-butyl Ether	< 21,300


ELAP Number 10958

Method: EPA 8260B

Data File: V91491.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

113739V4.XLS



Volatile STARS Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121 + 123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TK3/4 EXC-W (9.5')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-3739

Lab Sample Number: 13071

Date Sampled: 09/02/2011

Date Received: 09/02/2011

Date Analyzed: 09/12/2011

Aromatics	Results in ug / Kg
Benzene	< 9.21
n-Butylbenzene	< 9.21
sec-Butylbenzene	< 9.21
tert-Butylbenzene	< 9.21
Ethylbenzene	< 9.21
n-Propylbenzene	< 9.21
Isopropylbenzene	< 9.21
p-Isopropyltoluene	< 9.21
Naphthalene	< 23.0
Toluene	< 9.21
1,2,4-Trimethylbenzene	< 9.21
1,3,5-Trimethylbenzene	< 9.21
m,p-Xylene	10.7
o-Xylene	< 9.21
Miscellaneous	
Methyl tert-butyl Ether	< 9.21

ELAP Number 10958

Method: EPA 8260B

Data File: V91492.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

113739V5.XLS



Volatile STARS Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121 + 123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TK3/4 EXC-S (10')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-3739

Lab Sample Number: 13072

Date Sampled: 09/02/2011

Date Received: 09/02/2011

Date Analyzed: 09/09/2011

Aromatics	Results in ug / Kg
Benzene	< 9.08
n-Butylbenzene	< 9.08
sec-Butylbenzene	< 9.08
tert-Butylbenzene	< 9.08
Ethylbenzene	< 9.08
n-Propylbenzene	< 9.08
Isopropylbenzene	< 9.08
p-Isopropyltoluene	18.4
Naphthalene	< 22.7
Toluene	< 9.08
1,2,4-Trimethylbenzene	28.4
1,3,5-Trimethylbenzene	< 9.08
m,p-Xylene	< 9.08
o-Xylene	< 9.08
Miscellaneous	
Methyl tert-butyl Ether	< 9.08


ELAP Number 10958

Method: EPA 8260B

Data File: V91457.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

113739V6.XLS



Volatile STARS Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121 + 123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TK3/4 EXC-N (8.5')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-3739

Lab Sample Number: 13073

Date Sampled: 09/02/2011

Date Received: 09/02/2011

Date Analyzed: 09/12/2011

Aromatics	Results in ug / Kg
Benzene	< 26.6
n-Butylbenzene	888
sec-Butylbenzene	171
tert-Butylbenzene	< 26.6
Ethylbenzene	< 26.6
n-Propylbenzene	336
Isopropylbenzene	46.7
p-Isopropyltoluene	129
Naphthalene	< 66.6
Toluene	< 26.6
1,2,4-Trimethylbenzene	1,740
1,3,5-Trimethylbenzene	151
m,p-Xylene	< 26.6
o-Xylene	< 26.6
Miscellaneous	
Methyl tert-butyl Ether	< 26.6

ELAP Number 10958

Method: EPA 8260B

Data File: V91494.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

113739V7.XLS

**Volatile STARS Analysis Report for Soils/Solids/Sludges****Client:** Day Environmental, Inc.**Client Job Site:** 121 + 123 Reynolds Street
Rochester, NY**Lab Project Number:** 11-3739**Lab Sample Number:** 13074**Client Job Number:** 4576S-11**Field Location:** TK3/4 EXC-E (10')**Date Sampled:** 09/02/2011**Field ID Number:** N/A**Date Received:** 09/02/2011**Sample Type:** Soil**Date Analyzed:** 09/10/2011

Aromatics	Results in ug / Kg
Benzene	< 1,730
n-Butylbenzene	< 1,730
sec-Butylbenzene	< 1,730
tert-Butylbenzene	< 1,730
Ethylbenzene	3,800
n-Propylbenzene	3,380
Isopropylbenzene	< 1,730
p-Isopropyltoluene	< 1,730
Naphthalene	< 4,330
Toluene	< 1,730
1,2,4-Trimethylbenzene	22,500
1,3,5-Trimethylbenzene	6,690
m,p-Xylene	18,800
o-Xylene	< 1,730
Miscellaneous	
Methyl tert-butyl Ether	< 1,730

ELAP Number 10958

Method: EPA 8260B

Data File: V91481.D

Comments: ug / Kg = microgram per Kilogram

Surrogate outliers indicate probable matrix interference

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

113739V8.XLS



Volatile STARS Analysis Report for Soils/Solids/Sludges

Client: Day Environmental, Inc.

Client Job Site: 121 + 123 Reynolds Street
Rochester, NY

Client Job Number: 4576S-11

Field Location: TP-9 (8.5')

Field ID Number: N/A

Sample Type: Soil

Lab Project Number: 11-3739

Lab Sample Number: 13075

Date Sampled: 08/31/2011

Date Received: 09/02/2011

Date Analyzed: 09/12/2011

Aromatics	Results in ug / Kg
Benzene	< 9.31
n-Butylbenzene	< 9.31
sec-Butylbenzene	< 9.31
tert-Butylbenzene	< 9.31
Ethylbenzene	< 9.31
n-Propylbenzene	< 9.31
Isopropylbenzene	< 9.31
p-Isopropyltoluene	< 9.31
Naphthalene	< 23.3
Toluene	< 9.31
1,2,4-Trimethylbenzene	< 9.31
1,3,5-Trimethylbenzene	< 9.31
m,p-Xylene	< 9.31
o-Xylene	< 9.31
Miscellaneous	
Methyl tert-butyl Ether	< 9.31

ELAP Number 10958

Method: EPA 8260B

Data File: V91493.D

Comments: ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt.

113739V9.XLS

CHAIN OF CUSTODY**PARADIGM**
LABORATORY SERVICES, INC.**REPORT TO:****INVOICE TO:**

COMPANY:

COMPANY:

Same

LAB PROJECT #:

CLIENT PROJECT #:

ADDRESS:

ADDRESS:

11-3739

45765-11

CITY:

CITY:

STATE:

ZIP:

TURNAROUND TIME: (WORKING DAYS)

PHONE:

PHONE:

FAX:

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331




332

333

334

335

ATTACHMENT B

NON-HAZARDOUS WASTE MANIFEST		1. Generator ID Number NA		2. Page 1 of 1		3. Emergency Response Phone		4. Waste Tracking Number P211-0172	
5. Generator's Name and Mailing Address City of Rochester 121 Reynolds St. Rochester, NY 14608-2339 USA		Generator's Site Address (if different than mailing address) Per: Steve Stockmaster - TREC							
6. Transporter 1 Company Name Green Environment Specialists, Inc.		U.S. EPA ID Number NYR000013086							
7. Transporter 2 Company Name		U.S. EPA ID Number							
8. Designated Facility Name and Site Address E.I.C.S. 8335 Quarry Road Niagara Falls, NY 14304 USA		U.S. EPA ID Number NY0001037605							
9. Waste Shipping Name and Description Non-Regulated Material (Tank Bottoms)		10. Containers		11. Total Quantity 1		12. Unit Wt./Vol. T			
		No.	Type						
		1		TT					
13. Special Handling Instructions and Additional Information TREC110830A Handling Code: S N013									
14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.									
Generator's/Officer's Printed/Typed Name Steve Stockmaster As Agent For Owner		Signature 				Month Day Year 8 31 11			
15. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:									
16. Transporter Acknowledgment of Receipt of Materials									
Transporter 1 Printed/Typed Name James G. Greig		Signature 				Month Day Year 8 31 11			
Transporter 2 Printed/Typed Name		Signature				Month Day Year			
17. Discrepancy									
17a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection									
Manifest Reference Number:									
17b. Alternate Facility (or Generator)		U.S. EPA ID Number							
Facility's Phone:									
17c. Signature of Alternate Facility (or Generator)						Month Day Year			
18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a									
Printed/Typed Name M J Schimpf		Signature 				Month Day Year 08 31 11			



North America

MANUAL TICKET

219481

WEIGHMASTER	ORDER NO.	PLANT ID
de		

LOC
NF

DATE	TIME IN	TIME OUT
8/31/11		

CUSTOMER ID	SOLD TO	P.O. NUMBER	JOB NUMBER	QUOTE #

JOB ADDRESS	ZONE #

Green Environmental

GROSS	39180
TARE	37800
NET	1380

DELIVERY INSTRUCTIONS
69T 2006-T

TRUCK ID	HIRED ID	TRUCK DESCRIPTION	MAX GVW	DEL

PRODUCT ID	PRODUCT DESCRIPTION	QTY	QTY TODAY	PRICE	TOTAL
	39,180				

CUSTOMER INITIALS	STANDBY TIME	RECEIVED BY	DRIVER'S SIGNATURE

219481

OFFICE

CORP-MANTKT (3/07)

ATTACHMENT C

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 1 – Tank 1 and Tank 2 locations prior to removal (8/31/2011)



Photo 2 - Tank 3 and Tank 4 locations prior to removal (8/31/2011)



Photo 3 – Tank 1 and Tank 2 excavation subsequent to tank removal (8/31/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 4– Tank 3 and Tank 4 excavation subsequent to tank removal (8/31/2011)



Photo 5 – View of the south side wall of Tank 1 (8/31/2011)



Photo 6 – View of the north side wall of Tank 1 (8/31/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 7 – View of the bottom of Tank 1 (8/31/2011)



Photo 8– View of the east end wall of Tank 1 (8/31/2011)



Photo 9– View of the west end wall of Tank 1 (8/31/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 10– View of the bottom of Tank 2 (8/31/2011)



Photo 11– View of the west end wall of Tank 2 (8/31/2011)



Photo 12– View of the east end wall of Tank 2 (8/31/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 13– View of the north side wall of Tank 2 (8/31/2011)



Photo 14– View of the south side wall of Tank 2 (8/31/2011)



Photo 15– View of the west end wall of Tank 3 (8/31/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 16– View of the east end wall of Tank 3 (8/31/2011)



Photo 17– View of the south side wall of Tank 3 (8/31/2011)



Photo 18 - - View of the north side wall of Tank 3 (8/31/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 19– View of the bottom of Tank 3 (8/31/2011)



Photo 20– View of the north side wall and bottom of Tank 4 (8/31/2011)



Photo 21 – View of the south side wall of Tank 4 (8/31/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 22– View of the bottom of Tank 4 (8/31/2011)



Photo 23– View of the east end wall of Tank 4 (8/31/2011)



Photo 24– View of the west end wall of Tank 4 (8/31/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 25 - Soil removal at Tank 1/Tank 2 Excavation (9/2/2011)



Photo 26 - Soil removal at Tank 1/Tank 2 Excavation (9/2/2011)



Photo 27 – Direct-loading contaminated soil from Tank 1/Tank 2 Excavation (9/2/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 28 - Soil removal at Tank 1/Tank 2 Excavation (9/2/2011)



Photo 29 - Backfilling at Tank 1/Tank 2 Excavation (9/2/2011)



Photo 30 - Backfilling at Tank 1/Tank 2 Excavation (9/2/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 31 – Backfilling/.compacting at Tank 1/Tank 2 Excavation (9/2/2011)



Photo 32 - Soil removal at Tank 3/Tank 4 Excavation (9/2/2011)



Photo 33 - Soil removal at Tank 3/Tank 4 Excavation (9/2/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 34 - Soil removal at Tank 3/Tank 4 Excavation (9/2/2011)



Photo 35 - Soil removal at Tank 3/Tank 4 Excavation (9/2/2011)



Photo 36 - Soil removal at Tank 3/Tank 4 Excavation (9/2/2011)

Tank Closure and Soil Removal , 121 and 123 Reynolds Street, Rochester, New York



Photo 37 - Backfilling at Tank 3/Tank 4 Excavation (9/2/2011)



Photo 38 – Backfilling complete at Tank 3/Tank 4 Excavation (9/2/2011)

ATTACHMENT D



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES PLANT 585-235-9292
MANCHESTER PLANT 315-462-2752
PENFIELD PLANT 585-586-2567
WALWORTH PLANT 315-524-2771
AVON PLANT 585-226-6350

LEROY PLANT 585-768-7295
MENDON PLANT 585-624-2430
OGDEN PLANT 585-352-0460
BROOKPORT PLANT 585-637-6834

446970



09011364

PLANT: Stone - Ogden	DATE: 9/ 2/2011	TIME: 07:20
CUSTOMER NO. 910730	CUSTOMER JOB NO.	
CUSTOMER NAME: 1015 Washington Street, Spencerport NY 145590000	P.O. #:	
00124	JOB LOCATION REFERENCE	P.O. NUMBER
PRODUCT: FILL DIRT (LOADED) changed to MD	COMMENTS:	

70,600 lb		Loads Today...: 1	
GROSS WT. LBS.	25,280 lb	Qty Del Today: 22.66	STONE
TARE WT. LBS.	45,320 lb		SALES TAX
NET WT. LBS	22.66 TON	DELIVERY ZONE/PRICE: 20.56 TNE	DELIVERY
NET WT. TONS			TOTAL →
CC38		COUNTRY.03 TRI PETER Mitch 260016	
CARRIER/TRUCK	F.O.B.	WEIGHED BY	

DRIVER'S COPY

DRIVER ASSUMES RESPONSIBILITY FOR KNOWING THE PROPER LOADING AND GROSS VEHICLE WEIGHT CAPACITY OF THE VEHICLE BEING LOADED.



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES PLANT 585-235-9292
MANCHESTER PLANT 315-462-2752
PENFIELD PLANT 585-586-2567
WALWORTH PLANT 315-524-2771
AVON PLANT 585-226-6350

LEROY PLANT 585-768-7295
MENDON PLANT 585-624-2430
OGDEN PLANT 585-352-0460
BROOKPORT PLANT 585-637-6834

446972



09011365

PLANT: Stone - Ogden	DATE: 9/ 2/2011	TIME: 07:42
CUSTOMER NO. 943506	CUSTOMER JOB NO. 1057 VARIOUS 2011 PROJECTS	
CUSTOMER NAME: Dreher, M.J. Trucking Inc. 50 Owens Rd. Brockport NY 144200000	P.O. NUMBER	
PRODUCT: 00124 FILL DIRT (LOADED)	COMMENTS:	

70,020 lb		Loads Today...: 1	
GROSS WT. LBS.	27,900 lb	Qty Del Today: 21.06	STONE
TARE WT. LBS.	42,120 lb		SALES TAX
NET WT. LBS	21.06 TON	DELIVERY ZONE/PRICE: Metric: 19.11 TNE	DELIVERY
NET WT. TONS			TOTAL →

CARRIER/TRUCK BOBBIT.07	F.O.B. TRI WEST	WEIGHED BY Mitch 260016
-------------------------	-----------------	-------------------------

DRIVER'S COPY

DRIVER ASSUMES RESPONSIBILITY FOR KNOWING THE PROPER LOADING AND GROSS VEHICLE WEIGHT CAPACITY OF THE VEHICLE BEING LOADED.



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES PLANT 585-235-9292
MANCHESTER PLANT 315-462-2752
PENFIELD PLANT 585-586-2567
WALWORTH PLANT 315-524-2771
AVON PLANT 585-226-6350

LEROY PLANT 585-768-7295
MENDON PLANT 585-624-2430
OGDEN PLANT 585-352-0460
BROCKPORT PLANT 585-637-6834

446973



09011366

PLANT: Stone - Ogden	DATE: 9/ 2/2011	TIME: 07:45
CUSTOMER NO. 943506 Dreher, M.J. Trucking Inc. CUSTOMER NAME: 50 Owens Rd. Brockport NY 144200000		CUSTOMER JOB NO. 1097 VARIOUS 2011 PROJECTS JOB LOCATION REFERENCE 2011 PR reynolds st P.O. NUMBER
PRODUCT: 00124 FILL DIRT (LOADED)		COMMENTS:

GROSS WT. LBS.	70,600 lb *	Loads Today... :	2	STONE	0.00
TARE WT. LBS.	25,280 lb	Qty Del Today:	43.72	SALES TAX	0.00
NET WT. LBS	45,320 lb	DELIVERY ZONE/PRICE		DELIVERY	0.00
NET WT. TONS * = Manual	22.66 TON	Metric:	20.56 TNE	TOTAL →	0.00

CARRIER/TRUCK COUNTRY. BOBBIT. 07 TRI WEST WEIGHED BY Mitch 260016

X

DRIVER'S COPY

DRIVER ASSUMES RESPONSIBILITY FOR KNOWING THE PROPER LOADING AND GROSS VEHICLE WEIGHT CAPACITY OF THE VEHICLE BEING LOADED.



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES PLANT 585-235-9292
MANCHESTER PLANT 315-462-2752
PENFIELD PLANT 585-586-2567
WALWORTH PLANT 315-524-2771
AVON PLANT 585-226-6350

LEROY PLANT 585-768-7295
MENDON PLANT 585-624-2430
OGDEN PLANT 585-352-0460
BROCKPORT PLANT 585-637-6834

446982



09011375

PLANT: Stone - Ogden	DATE: 9/ 2/2011	TIME: 09:13
CUSTOMER NO. 943506 Dreher, M.J. Trucking Inc. CUSTOMER NAME: 50 Owens Rd. Brockport NY 144200000		CUSTOMER JOB NO. 1097 VARIOUS 2011 PROJECTS JOB LOCATION REFERENCE P.O. # VARIOUS 2011 PR reynolds st P.O. NUMBER
PRODUCT: 00124 FILL DIRT (LOADED)		COMMENTS:

GROSS WT. LBS.	72,580 lb	Loads Today... :	3	STONE	0.00
TARE WT. LBS.	27,900 lb	Qty Del Today:	66.06	SALES TAX	0.00
NET WT. LBS	44,680 lb	DELIVERY ZONE/PRICE		DELIVERY	0.00
NET WT. TONS	22.34 TON	Metric:	20.27 TNE	TOTAL →	0.00

CARRIER/TRUCK BT07 BOBBIT. 07 TRI WEST WEIGHED BY Mitch 260016

X

DA

DRIVER'S COPY

DRIVER ASSUMES RESPONSIBILITY FOR KNOWING THE PROPER LOADING AND GROSS VEHICLE WEIGHT CAPACITY OF THE VEHICLE BEING LOADED.



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

446983

GATES PLANT 585-235-9292
MANCHESTER PLANT 315-462-2752
PENFIELD PLANT 585-586-2567
WALWORTH PLANT 315-524-2771
AVON PLANT 585-226-6350

LEROY PLANT 585-768-7295
MENDON PLANT 585-624-2430
OGDEN PLANT 585-352-0460
BROCKPORT PLANT 585-637-6834



09011376

PLANT: Stone - Ogden	DATE: 9/ 2/2011	TIME: 09:29
CUSTOMER NO. 943506 Dreher, M.J. Trucking Inc. 50 Owens Rd. Brockport NY 144200000		CUSTOMER JOB NO. 1097 VARIOUS 2011 PROJECTS JOB LOCATION REFERENCE P.O. #VARIOUS 2011 PR reynolds st P.O. NUMBER
PRODUCT: 00124 FILL DIRT (LOADED)		COMMENTS:

GROSS WT. LBS.	70,340 lb	Loads Today...: 4	STONE	0.00
TARE WT. LBS.	25,280 lb	Qty Del Today: 88.59	SALES TAX	0.00
NET WT. LBS	45,060 lb	DELIVERY ZONE/PRICE	DELIVERY	0.00
NET WT. TONS	22.53 TON	Metric: 20.44 TNE	TOTAL →	0.00

CARRIER/TRUCK CC38	F.O.B. COUNTRY: 03 TRI PETER	WEIGHED BY Mitch 260016
--------------------	------------------------------	-------------------------

X

[Signature]

DRIVER'S COPY

DRIVER ASSUMES RESPONSIBILITY FOR KNOWING THE PROPER LOADING AND GROSS VEHICLE WEIGHT CAPACITY OF THE VEHICLE BEING LOADED.



MAIN OFFICE 1150 PENFIELD RD.
ROCHESTER, NY 14625 585-381-7010

GATES PLANT 585-235-9292
MANCHESTER PLANT 315-462-2752
PENFIELD PLANT 585-586-2567
WALWORTH PLANT 315-524-2771
AVON PLANT 585-226-6350

LEROY PLANT 585-768-7295
MENDON PLANT 585-624-2430
OGDEN PLANT 585-352-0460
BROCKPORT PLANT 585-637-6834



09011382

PLANT: 943506	DATE: 9/ 2/2011	TIME: 10:41
CUSTOMER NO. 943506 Dreher, M.J. Trucking Inc. 50 Owens Rd. Brockport NY 144200000		CUSTOMER JOB NO. 1097 VARIOUS 2011 PROJECTS JOB LOCATION REFERENCE P.O. #VARIOUS 2011 PR reynolds st P.O. NUMBER
PRODUCT: 00124 FILL DIRT (LOADED)		COMMENTS:

GROSS WT. LBS.	71,400 lb	Loads Today...: 5	STONE	0.00
TARE WT. LBS.	27,900 lb	Qty Del Today: 110.34	SALES TAX	0.00
NET WT. LBS	43,500 lb	DELIVERY ZONE/PRICE	DELIVERY	0.00
NET WT. TONS	21.75 TON	Metric: 19.73 TNE	TOTAL →	0.00

CARRIER/TRUCK BOBBIT. 07 TRI WEST	F.O.B.	WEIGHED BY Mitch 260016
-----------------------------------	--------	-------------------------

X

[Signature]

DRIVER'S COPY

DRIVER ASSUMES RESPONSIBILITY FOR KNOWING THE PROPER LOADING AND GROSS VEHICLE WEIGHT CAPACITY OF THE VEHICLE BEING LOADED.

ATTACHMENT E



Generator's Non-hazardous Waste Profile Sheet

Requested Disposal Facility: _____ Profile Number: 108107NY
☐ Renewal for Profile Number: _____ Waste Approval Expiration Date: _____
☐ Check here if there are multiple generating locations for this waste. Attach additional locations.

A. Waste Generator Facility Information (must reflect location of waste generation/origin)

1. Generator Name: City of Rochester
2. Site Address: 121 Reynolds Street
3. City/ZIP: Rochester, ~~14014~~ 14608
4. State: NY
5. County: Monroe
6. Contact Name/Title: Keith Hambley
7. Email Address: KHambley@TRECENV.com
8. Phone: 585-594-5545 9. FAX: 585-594-5675
10. NAICS Code: _____
11. Generator USEPA ID #: _____
12. State ID# (if applicable): _____

B. Customer Information ☐ same as above

P. O. Number: _____

1. Customer Name: TREC Environmental Inc.
2. Billing Address: 1018 Washington St
3. City, State and ZIP: Spencerport, NY, 14559
4. Contact Name: Keith Hambley
5. Contact Email: khambley@trecenv.com
6. Phone: 585-594-5545 FAX: 585-594-5675
7. Transporter Name: Silvarole Trucking
8. Transporter ID # (if appl.): _____
9. Transporter Address: _____
10. City, State and ZIP: _____

C. Waste Stream Information

1. DESCRIPTION

a. Common Waste Name: Non Hazardous Soil
State Waste Code(s): _____

b. Describe Process Generating Waste or Source of Contamination:

Removal of soil from under former gasoline tanks.

c. Typical Color(s): Brown

d. Strong Odor? ☐ Yes ☒ No Describe: _____

e. Physical State at 70°F: ☒ Solid ☐ Liquid ☐ Powder ☐ Semi-Solid or Sludge ☐ Other: _____

f. Layers? ☒ Single layer ☐ Multi-layer ☐ NA

g. Water Reactive? ☐ Yes ☒ No If Yes, Describe: _____

h. Free Liquid Range (%): _____ to _____ ☒ NA(solid)

i. pH Range: 6 to 8 ☒ NA(solid)

j. Liquid Flash Point: ☐ < 140°F ☐ 140°- 199°F ☐ ≥ 200°F ☒ NA(solid)

k. Flammable Solid: ☐ Yes ☒ No

l. Physical Constituents: List all constituents of waste stream - (e.g. Soil 0-80%, Wood 0-20%): ☐ (See Attached)

Constituents (Total Composition Must be ≥ 100%)	Lower Range	Unit of Measure	Upper Range	Unit of Measure
1. <u>Soil</u>	<u>99.9</u>	<u>%</u>	<u>100</u>	<u>%</u>
2. <u>Poly Liner</u>	<u>0</u>	<u>%</u>	<u>.01</u>	<u>%</u>
3. _____	_____	_____	_____	_____
4. _____	_____	_____	_____	_____
5. _____	_____	_____	_____	_____
6. _____	_____	_____	_____	_____

2. ESTIMATED QUANTITY OF WASTE AND SHIPPING INFORMATION

a. ☒ One Time Event ☐ Base ☐ Repeat Event

b. Estimated Annual Quantity: 160 ☒ Tons ☐ Cubic Yards ☐ Drums ☐ Gallons ☐ Other (specify): _____

c. Shipping Frequency: _____ Units per ☒ Month ☐ Quarter ☐ Year ☐ One Time ☐ Other

d. Is this a U.S. Department of Transportation (USDOT) Hazardous Material? (If yes, answer e.) ☐ Yes ☒ No

e. USDOT Shipping Description (if applicable): _____

3. SAFETY REQUIREMENTS (Handling, PPE, etc.): _____

**D. Regulatory Status (Please check appropriate responses)**

1. Waste Identification:
- a. Does the waste meet the definition of a USEPA listed or characteristic hazardous waste as defined by 40 CFR Part 261? ☐ Yes ☒ No
1. If yes, please complete a hazardous waste profile.
- b. Does the waste meet the definition of a state hazardous waste other than identified in D.1.a? ☐ Yes ☒ No
1. If yes, please complete a hazardous waste profile.
2. Is this waste included in one or more of categories below (Check all that apply)? If yes, attach supporting documentation. ☐ Yes ☒ No
- ☐ Delisted Hazardous Waste ☐ Excluded Wastes Under 40CFR 261.4
☐ Treated Hazardous Waste Debris ☐ Treated Characteristic Hazardous Waste
3. Is the waste from a Federal (40 CFR 300, Appendix B) or state mandated clean-up? If yes, see instructions. ☐ Yes ☒ No
4. Does the waste represented by this waste profile sheet contain radioactive material? ☐ Yes ☒ No
- a. If yes, is disposal regulated by the Nuclear Regulatory Commission? ☐ Yes ☐ No
- b. If yes, is disposal regulated by a State Agency for radioactive waste/NORM? ☐ Yes ☐ No
5. Does the waste represented by this waste profile sheet contain Polychlorinated Biphenyls (PCBs)? ☐ Yes ☒ No
(If yes, list in Chemical Composition - C.1.I.)
- a. If yes, are the PCBs regulated by 40 CFR 761? ☐ Yes ☐ No
- b. If yes, is it remediation waste from a project being performed under the Self-Implementing option provided in 40 CFR 761.61(a)? ☐ Yes ☐ No
- c. If yes, were the PCBs imported into the US? ☐ Yes ☐ No
6. Does the waste contain untreated, regulated medical or infectious waste? ☐ Yes ☒ No
7. Does the waste contain asbestos? ☐ Yes ☒ No
- a. If Yes, ☐ Friable ☐ Non Friable
8. Is this profile for remediation waste from a facility that is a major source of Hazardous Air Pollutants (Site Remediation NESHAP, 40 CFR 63 subpart GGGGG)? ☐ Yes ☒ No
- a. If yes, does the waste contain <500 ppmw VOHAPs at the point of determination? ☐ Yes ☐ No

E. Generator Certification (Please read and certify by signature below)

By signing this Generator's Waste Profile Sheet, I hereby certify that all:

- Information submitted in this profile and all attached documents contain true and accurate descriptions of the waste material;
- Relevant information within the possession of the Generator regarding known or suspected hazards pertaining to this waste has been disclosed to WM/the Contractor;
- Analytical data attached pertaining to the profiled waste was derived from testing a representative sample in accordance with 40 CFR 261.20(c) or equivalent rules; and
- Changes that occur in the character of the waste (i.e. changes in the process or new analytical) will be identified by the Generator and disclosed to WM (and the Contractor if applicable) prior to providing the waste to WM (and the contractor if applicable).
- Check all that apply:
 - ☐ Attached analytical pertains to the waste. Identify laboratory & sample ID #'s and parameters tested: _____ # Pages: _____
 - ☐ Only the analysis identified on the attachment pertain to the waste (identify by laboratory & sample ID #'s and parameters tested). Attachment #: _____
 - ☐ Additional information necessary to characterize the profiled waste has been attached (other than analytical, such as MSDS). Indicate the number of attached pages: _____
 - ☒ I am an agent signing on behalf of the Generator, and the delegation of authority to me from the Generator for this signature is available upon request.

Certification Signature: 

Title: President

Company Name: TREC Environmental Inc.

Name (Print): Keith Hambley

Date: 8-29-2011

ATTACHMENT F



Mill Seat Landfill
303 Brew Rd.
Bergen, NY, 14416
Ph: (585) 494-3000

Original
Ticket# 657051

Customer Name TRECENVIRONMENTAL-108107NY TR Carrier SIL SILVAROLE TRUCKING, INC.
Ticket Date 09/02/2011 Vehicle# D101 Volume
Payment Type Credit Card Container
Manual Ticket# Driver
Hauling Ticket# Check# *
Route 75000 Billing # 0001245
State Waste Code Gen EPA ID NOT REQUIRED
Manifest *
Destination Grid K-6
PO
Profile 108107NY (NON HAZARDOUS SOIL)
Generator 190-ROCHESTERCTYREYNOLDS CITY OF ROCHESTER

	Time	Scale	Operator	Inbound	Gross	
In	09/02/2011 09:17:43	Scale1	KKING5		Tare	68840 lb
Out	09/02/2011 09:30:44	SCALE2	KKING5		Net	30580 lb
					Tons	38260 lb
						19.13

Comments

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Cont Soil Pet-RGC-	100	19.13	Tons				MON.
2 FUEL-Fuel Surcharg	100		%				MON
3 EVF-P75-Environmen	100		%				MON

Total Tax
Total Ticket

Driver's Signature _____



GENERATOR
INT'L
TRANSPORTER
DESIGNATED FACILITY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator ID Number

2. Page 1 of

3. Emergency Response Phone

4. Waste Tracking Number

5. Generator's Name and Mailing Address

Generator's Site Address (if different than mailing address)

City of Rochester (Reynolds)
121 Reynolds St
Rochester, NY 14608
Generator's Phone:

6. Transporter 1 Company Name

U.S. EPA ID Number

Silvarole Trucking

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

U.S. EPA ID Number

Waste Management-High Acres Landfill
Perinton Parkway
Fairport, NY

M. H. Scott Landfill

Facility's Phone: 585-223-6132

9. Waste Shipping Name and Description

10. Containers

No.

Type

11. Total
Quantity

12. Unit
Wt./Vol.

1. Non Hazardous Soil

001

DT

20

T

2.

3.

4.

13. Special Handling Instructions and Additional Information

Waste Profile # 108107NY

14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Generator's/Officer's Printed/Typed Name

Signature

Month Day Year

Jim Agar / Agent for Owner

[Signature]

9 2 11

15. International Shipments

☐ Import to U.S.

☐ Export from U.S.

Port of entry/exit:

Date leaving U.S.:

Transporter Signature (for exports only):

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Signature

Month Day Year

E. Van der Werf

[Signature]

9 2 11

Transporter 2 Printed/Typed Name

Signature

Month Day Year

17. Discrepancy

17a. Discrepancy Indication Space

☐ Quantity

☐ Type

☐ Residue

☐ Partial Rejection

☐ Full Rejection

Manifest Reference Number:

17b. Alternate Facility (or Generator)

U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year

Dem Beng

Dem Beng

9 2 11



Mill Seat Landfill
303 Brew Rd.
Bergen, NY, 14416
Ph: (585) 494-3000

Reprint
Ticket# 657058

Customer Name TRECENVIRONMENTAL-108107NY TR Carrier SIL SILVAROLE TRUCKING, INC.
Ticket Date 09/02/2011 Vehicle# D105 Volume
Payment Type Credit Card Container
Manual Ticket# Driver
Hauling Ticket# Check# *
Route 75000 Billing # 0001245
State Waste Code Gen EPA ID NOT REQUIRED
Manifest *
Destination Grid K-6
PO
Profile 108107NY (NON HAZARDOUS SOIL)
Generator 190-ROCHESTERCTYREYNOLDS CITY OF ROCHESTER

	Time	Scale	Operator	Inbound	Gross	78160 lb
In	09/02/2011 09:36:05	Scale1	KKING5		Tare	26500 lb
Out	09/02/2011 09:49:58	SCALE2	KKING5		Net	51660 lb
					Tons	25.83

Comments This vehicle was over the legal weight limit .

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Cont Soil-Pet-RGC-100		25.83	Tons				MON
2 FUEL-Fuel Surcharg 100			%				MON
3 EVF-P75-Environmen 100			%				MON

Total Tax
Total Ticket

Driver's Signature _____



GENERATOR
INT'L
TRANSPORTER
DESIGNATED FACILITY

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator ID Number

2. Page 1 of

3. Emergency Response Phone

4. Waste Tracking Number

5. Generator's Name and Mailing Address

Generator's Site Address (if different than mailing address)

City of Rochester (Reynolds)

121 Reynolds St

Rochester, NY 14608

Generator's Phone:

6. Transporter 1 Company Name

U.S. EPA ID Number

Silvarole Trucking

7. Transporter 2 Company Name

U.S. EPA ID Number

8. Designated Facility Name and Site Address

U.S. EPA ID Number

Waste Management High Acres Landfill

Perinton Parkway

Fairport, NY

Facility's Phone: 585-223-6132

Mill Seat
494-3033 Brew Rd

9. Waste Shipping Name and Description

10. Containers

No.

Type

11. Total
Quantity

12. Unit
Wt./Vol.

1. Non Hazardous Soil

001

DT

20

T

13. Special Handling Instructions and Additional Information

Waste Profile # 108107NY

14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Generator's/Officer's Printed/Typed Name

Signature

Month Day Year

Jim Agar / Agent for Owner

[Signature]

9 2 11

15. International Shipments

☐ Import to U.S.

☐ Export from U.S.

Port of entry/exit:

Date leaving U.S.:

Transporter Signature (for exports only):

16. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Signature

Month Day Year

Stephen Denny

[Signature]

Month Day Year

Transporter 2 Printed/Typed Name

Signature

17. Discrepancy

17a. Discrepancy Indication Space

☐ Quantity

☐ Type

☐ Residue

☐ Partial Rejection

☐ Full Rejection

Manifest Reference Number:

17b. Alternate Facility (or Generator)

U.S. EPA ID Number

Facility's Phone:

17c. Signature of Alternate Facility (or Generator)

Month Day Year

18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year

Jim Agar

[Signature]

9 2 11



Mill Seat Landfill
303 Brew Rd.
Bergen, NY, 14416
Ph: (585) 494-3000

Original
Ticket# 657059

Customer Name TRECEENVIRONMENTAL-108107NY TR Carrier SIL SILVARPLE TRUCKING, INC.
Ticket Date 09/02/2011 Vehicle# D103 Volume
Payment Type Credit Card Container
Manual Ticket# Driver TOM
Hauling Ticket# Check# *
Route 75000 Billing # 0001245
State Waste Code Gen EPA ID NOT REQUIRED
Manifest *
Destination Grid K-6
PO
Profile 108107NY (NON HAZARDOUS SOIL)
Generator 190-ROCHESTERCTYREYNOLDS CITY OF ROCHESTER

	Time	Scale	Operator	Inbound	Gross	
In	09/02/2011 09:37:15	Scale1	KKING5		Tare	72440 lb
Out	09/02/2011 09:57:07	Scale2	KKING5		Net	26120 lb
					Tons	46320 lb
						23.16

Comments

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Cont Soil, Pet-RGC- 100		23.16	Tons				MON
2 FUEL-Fuel Surcharg 100			%				MON
3 EVF-P75-Environmen 100			%				MON

Total Tax
Total Ticket

Driver's Signature _____



NON-HAZARDOUS WASTE MANIFEST		1. Generator ID Number		2. Page 1 of		3. Emergency Response Phone		4. Waste Tracking Number	
5. Generator's Name and Mailing Address City of Rochester (Reynolds) 121 Reynolds St Rochester, NY 14608 Generator's Phone:		Generator's Site Address (if different than mailing address)							
6. Transporter 1 Company Name Silvario Trucking		U.S. EPA ID Number							
7. Transporter 2 Company Name		U.S. EPA ID Number							
8. Designated Facility Name and Site Address Waste Management High Acres Landfill Perinton Parkway Eastport, NY Facility's Phone: 585-223-6132		U.S. EPA ID Number							
		<div style="text-align: right; font-size: 1.2em; font-weight: bold;">Mull Seat 303 Brewka 494-3100</div>							
9. Waste Shipping Name and Description		10. Containers		11. Total Quantity		12. Unit Wt./Vol.			
		No.	Type						
<div>1. Non Hazardous Soil</div> <div>2.</div> <div>3.</div> <div>4.</div>		001	DT	20	T				
13. Special Handling Instructions and Additional Information Waste Profile # 108107NY									
14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste. Generator's/Officer's Printed/Typed Name Signature Month Day Year <div style="display: flex; justify-content: space-between;"> Jim Agar / Agent for Owner 9 2 11 </div>									
15. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:									
16. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Signature Month Day Year <div style="display: flex; justify-content: space-between;"> TOM ALLEN </div> Transporter 2 Printed/Typed Name Signature Month Day Year <div style="display: flex; justify-content: space-between;"> </div>									
17. Discrepancy 17a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection Manifest Reference Number:									
17b. Alternate Facility (or Generator) U.S. EPA ID Number Facility's Phone:									
17c. Signature of Alternate Facility (or Generator) Month Day Year <div style="display: flex; justify-content: space-between;"> </div>									
18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a Printed/Typed Name Signature Month Day Year <div style="display: flex; justify-content: space-between;"> Jim Agar 9 2 11 </div>									



Mill Seat Landfill
303 Brew Rd.
Bergen, NY, 14416
Ph: (585) 494-3000

Original
Ticket# 657084

Customer Name TRECENVIRONMENTAL-108107NY TR Carrier SIL SILVAROLE TRUCKING, INC.
Ticket Date 09/02/2011 Vehicle# D101 Volume
Payment Type Credit Card Container
Manual Ticket# Driver
Hauling Ticket# Check# *
Route 75000 Billing # 0001245
State Waste Code Gen EPA ID NOT REQUIRED
Manifest *
Destination Grid K-6
PO
Profile 108107NY (NON HAZARDOUS SOIL)
Generator 190-ROCHESTERCTYREYNOLDS CITY OF ROCHESTER

	Time	Scale	Operator	Inbound	Gross	
In	09/02/2011 11:07:54	Scale1	KKING5		Tare	70280 lb
Out	09/02/2011 11:32:30	Scale2	BSHOVE		Net	30520 lb
					Tons	39760 lb
						19.88

Comments

	Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1	Cont Soil Pet-RBC-100		19.88	Tons				MON
2	FUEL-Fuel Surcharg 100			%				MON
3	EVF-P75-Environmen 100			%				MON

Total Tax
Total Ticket

Driver's Signature _____



GENERATOR	NON-HAZARDOUS WASTE MANIFEST		1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number		
	5. Generator's Name and Mailing Address City of Rochester (Reynolds) 121 Reynolds St Rochester, NY 14608 Generator's Phone:				Generator's Site Address (if different than mailing address)			
	6. Transporter 1 Company Name Silverdale Trucking				U.S. EPA ID Number			
	7. Transporter 2 Company Name				U.S. EPA ID Number			
	8. Designated Facility Name and Site Address Waste Management High Acres Landfill Perrinton Parkway Fairport, NY Mill Seat 303 Brew Rd Bergen, NY Facility's Phone: 585-223-6132				U.S. EPA ID Number			
TRANSPORTER	9. Waste Shipping Name and Description			10. Containers		11. Total Quantity	12. Unit Wt./Vol.	
				No.	Type			
	1. Non Hazardous Soil			001	DT	20	T	
	2.							
	3.							
4.								
DESIGNATED FACILITY	13. Special Handling Instructions and Additional Information Waste Profile # 108107NY							
	14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.							
	Generator's/Officer's Printed/Typed Name Jim Agae / Agent for Owner				Signature 		Month Day Year 9 2 11	
	15. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:							
	16. Transporter Acknowledgment of Receipt of Materials							
DESIGNATED FACILITY	Transporter 1 Printed/Typed Name E. VanderWall				Signature 		Month Day Year 9 2 11	
	Transporter 2 Printed/Typed Name				Signature		Month Day Year	
	17. Discrepancy							
	17a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
	Manifest Reference Number:							
17b. Alternate Facility (or Generator)				U.S. EPA ID Number				
Facility's Phone:								
17c. Signature of Alternate Facility (or Generator)				Signature		Month Day Year		
18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a								
Printed/Typed Name Jim Agae				Signature 		Month Day Year 9 2 11		



Mill Seat Landfill
303 Brew Rd.
Bergen, NY, 14416
Ph: (585) 494-3000

Original
Ticket# 657087

Customer Name TRECENVIRONMENTAL-108107NY TR Carrier SIL SILVAROLE TRUCKING, INC.
Ticket Date 09/02/2011 Vehicle# D105 Volume
Payment Type Credit Card Container
Manual Ticket# Driver
Hauling Ticket# Check# *
Route 75000 Billing # 0001245
State Waste Code Gen EPA ID NOT REQUIRED
Manifest *
Destination Grid K-6
PD
Profile 108107NY (NON HAZARDOUS SOIL)
Generator 190-ROCHESTERCTYREYNOLDS CITY OF ROCHESTER

	Time	Scale	Operator	Inbound	Gross	
In	09/02/2011 11:09:32	Scale1	KKING5		Tare	65440 lb
Out	09/02/2011 11:36:46	Scale2	BSHOVE		Net	26280 lb
					Tons	39160 lb
						19.58

Comments

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Cont Soil Pet-RGD-100		19.58	Tons				MON
2 FUEL-Fuel Surcharg 100			%				MON
3 EVF-P75-Environmen 100			%				MON

Total Tax
Total Ticket

Driver's Signature _____



NON-HAZARDOUS WASTE MANIFEST		1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number	
5. Generator's Name and Mailing Address			Generator's Site Address (if different than mailing address)			
City of Rochester (Reynolds) 121 Reynolds St Rochester, NY 14608 Generator's Phone:						
6. Transporter 1 Company Name			U.S. EPA ID Number			
Silvarole Trucking						
7. Transporter 2 Company Name			U.S. EPA ID Number			
8. Designated Facility Name and Site Address			U.S. EPA ID Number			
Waste Management High Acres Landfill Perinton Parkway Fairport, NY Facility's Phone: 585-223-6132			Mill Seat 303 Brew Rd. Bergen, NY			
GENERATOR	9. Waste Shipping Name and Description		10. Containers		11. Total Quantity	12. Unit Wt./Vol.
			No.	Type		
	1. Non Hazardous Soil		001	DT	20	T
	2.					
	3.					
4.						
13. Special Handling Instructions and Additional Information						
Waste Profile # 108107NY						
14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.						
Generator's/Officer's Printed/Typed Name			Signature		Month	Day Year
Jim Agge / Agent for Owner					9	2 11
INT'L	15. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:					
TRANSPORTER	16. Transporter Acknowledgment of Receipt of Materials					
	Transporter 1 Printed/Typed Name		Signature		Month	Day Year
	Stephen DENNY		Stephen Denny			
DESIGNATED FACILITY	Transporter 2 Printed/Typed Name		Signature		Month	Day Year
	17. Discrepancy					
	17a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection					
	Manifest Reference Number:					
17b. Alternate Facility (or Generator)			U.S. EPA ID Number			
Facility's Phone:						
17c. Signature of Alternate Facility (or Generator)			Signature		Month	Day Year
18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a						
Printed/Typed Name			Signature		Month	Day Year
Jim Denny			Jim Denny		9	2 11



Mill Seat Landfill
303 Brew Rd.
Bergen, NY, 14416
Ph: (585) 494-3000

Original
Ticket# 657094

Customer Name TRECENVIRONMENTAL-108107NY TR Carrier SIL SILVAROLE TRUCKING, INC.
Ticket Date 09/02/2011 Vehicle# D103 Volume
Payment Type Credit Card Container
Manual Ticket# Driver TOM
Hauling Ticket# Check# *
Route 75000 Billing # 0001245
State Waste Code Gen EPA ID NOT REQUIRED
Manifest *
Destination Grid K-6
PO
Profile 108107NY (NON HAZARDOUS SOIL)
Generator 190-ROCHESTERCTYREYNOLDS CITY OF ROCHESTER

	Time	Scale	Operator	Inbound	Gross	
In	09/02/2011 11:20:44	Scale1	BSHOVE		Tare	61420 lb
Out	09/02/2011 11:40:43	Scale2	BSHOVE		Net	26040 lb
					Tons	35380 lb
						17.69

Comments

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Cont Soil Pct-RGC	100	17.69	Tons				MON
2 FUEL-Fuel Surcharg	100		%				
3 EVF-P75-Environmen	100		%				

Total Tax
Total Ticket

Driver's Signature _____



NON-HAZARDOUS WASTE MANIFEST		1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Waste Tracking Number
5. Generator's Name and Mailing Address City of Rochester (Reynolds) 121 Reynolds St Rochester, NY 14608 Generator's Phone:			Generator's Site Address (if different than mailing address)		
6. Transporter 1 Company Name Silveriole Trucking			U.S. EPA ID Number		
7. Transporter 2 Company Name			U.S. EPA ID Number		
8. Designated Facility Name and Site Address Waste Management High Acres Landfill Pennton Parkway Fairport, NY Mill Seat 303 Brew Rd Bergen, NY Facility's Phone: 585-223-6132			U.S. EPA ID Number		
9. Waste Shipping Name and Description		10. Containers		11. Total Quantity	12. Unit Wt./Vol.
		No.	Type		
1. Non Hazardous Soil		001	DT	20	T
2.					
3.					
4.					
13. Special Handling Instructions and Additional Information Waste Profile # 108107NY					
14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.					
Generator's/Officer's Printed/Typed Name Jim Agge / Agent for Owner			Signature 		Month Day Year 9 2 11
15. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:					
16. Transporter Acknowledgment of Receipt of Materials					
Transporter 1 Printed/Typed Name TOM ALLEN			Signature Thomas Allen		Month Day Year
Transporter 2 Printed/Typed Name			Signature		Month Day Year
17. Discrepancy					
17a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection					
17b. Alternate Facility (or Generator)				Manifest Reference Number: U.S. EPA ID Number	
Facility's Phone: 8101					
17c. Signature of Alternate Facility (or Generator)					Month Day Year
18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a					
Printed/Typed Name B. Shue			Signature B. Shue		Month Day Year 9 2 11